

2012 MICHELIN[®] MOTORCYCLE TIRE FITMENT GUIDE

STREET ■ OFF-ROAD ■ SCOOTER



THE RIGHT TIRE CHANGES EVERYTHING



MICHELIN

A better way forward

STREET

Application Charts: page 3
Fitment Guide: page 25

POWER ONE™

TRACK DAYS
DUAL COMPOUND

Front

120/60ZR17 (55W)
120/70ZR17 (58W)

Rear

160/60ZR17 (69W)
180/55ZR17 (73W)
190/50ZR17 (73W)
190/55ZR17 (75W)



page 4

POWER PURE™

HIGH PERFORMANCE
DUAL COMPOUND

Front

120/60ZR17 (55W)
120/70ZR17 (58W)

Rear

160/60ZR17 (69W)
180/55ZR17 (73W)
190/50ZR17 (73W)
190/55ZR17 (75W)
200/50ZR17 (75W)



page 5

PILOT® POWER 2CT

HIGH PERFORMANCE
DUAL COMPOUND

Front

120/60ZR17 (55W)
120/70ZR17 (58W)

Rear

160/60ZR17 (69W)
180/55ZR17 (73W)
190/50ZR17 (73W)
190/55ZR17 (75W)



page 6

PILOT® POWER

HIGH PERFORMANCE

Front

110/70ZR17 (54W)
120/60ZR17 (55W)
120/65ZR17 (56W)
120/70ZR17 (58W)

Rear

150/60ZR17 (66W)
160/60ZR17 (69W)
170/60ZR17 (72W)
180/55ZR17 (73W)
190/50ZR17 (73W)
190/55ZR17 (75W)



page 7

PILOT® ROAD 3

SPORT TOURING RADIAL
DUAL COMPOUND

Front

110/70ZR17 (54W)
120/60ZR17 (55W)
120/70ZR17 (58W)
110/80ZR18 (58W)
120/70ZR18 (59W)

Rear

150/70ZR17 (69W) 190/50ZR17 (73W)
160/60ZR17 (69W) 190/55ZR17 (75W)
170/60ZR17 (72W) 160/60ZR18 (70W)
180/55ZR17 (73W)

Trail Front

110/80R19 59 V

Trail Rear

150/70R17 69 V



page 8

PILOT® ROAD 2

SPORT TOURING RADIAL
DUAL COMPOUND

Front

110/70ZR17 (54W)
120/60ZR17 (55W)
120/70ZR17 (58W)
110/80ZR18 (58W)
120/70ZR18 (59W)

Rear

150/70ZR17 (69W) 190/50ZR17 (73W)
160/60ZR17 (69W) 190/55ZR17 (75W)
170/60ZR17 (72W) 160/60ZR18 (70W)
180/55ZR17 (73W)



page 9

NEW COMMANDER® II

ULTRA-HIGH MILEAGE FOR
V-TWIN AND METRIC
CRUISERS

Front Bias

130/90B16 73H
120/90B17 64S
130/80B17 65H
100/90B19 57H
80/90-21 54H

Rear Bias

140/90B15 76H
150/90B15 74H
170/80B15 77H
130/90B16 73H
140/90B16 77H
150/80B16 77H
180/65B16 81H
160/70B17 73V

Front Radial

140/75 R17 67V

Rear Radial

200/55 R17 78V



page 10

SCORCHER® "11"

ORIGINAL EQUIPMENT
RADIAL FOR SELECT
HARLEY-DAVIDSON® MODELS

Front

120/70ZR18 (59W)
120/70ZR19 (60W)

Rear

150/60ZR17 (66W)
180/55ZR17 (73W)
240/40R18 79V



page 12

SCORCHER® "31"

ORIGINAL EQUIPMENT FOR
SELECT HARLEY-DAVIDSON®
MODELS

Front

130/90B16 73H
100/90B19 57H
80/90-21 48H

Rear

150/80B16 77H
160/70B17 73V
180/60B17 75V



page 12

PILOT® ACTIV

SPORT TOURING BIAS-PLY

Front

120/80-16 60V
110/70-17 54H
110/80-17 57H
110/80-17 57V
120/70-17 58V
90/90-18 51H
100/90-18 56H
100/90-18 56V
110/80-18 58V
110/90-18 61V
100/90-19 57H
100/90-19 57V
3.25-19 54H

Rear

130/70-17 62H
130/80-17 65H
130/90-17 68V
140/70-17 66H
140/80-17 69V
150/70-17 69H
150/70-17 69V
120/90-18 65H
120/90-18 65V
130/70-18 63H
130/80-18 66V
4.00-18 64H



page 13

ANAKEE® 2

ADVENTURE TOURING

Front Bias

90/90-21 54S
90/90-21 54H
90/90-21 54V
100/90-19 57H

Rear Bias

120/90-17 64S

Front Radial

110/80R19 59H
110/80R19 59V

Rear Radial

130/80R17 65S
130/80R17 65H
140/80R17 69H
150/70R17 69H
150/70R17 69V



page 14

M62 GAZELLE™


UTILITY / URBAN

Front / Rear

2.25-17 38P 2.75-17 47P
2.50-17 43P 2.75-18 48P

Rear

3.00-17 50P
3.00-18 52P



page 14

CYCLE & SCOOTER TIRES

OFF-ROAD

Application Chart: page 15
Sizing Information: page 50

STARCROSS[®] MS3

MOTOCROSS
SOFT / INTERMEDIATE

Front 80/100-21
Rear 100/90-19
110/90-19



page 16

STARCROSS[®] MH3

MOTOCROSS
INTERMEDIATE / HARD

Front 80/100-21
Rear 100/90-19
110/90-19



page 16

NEW STARCROSS[®] HP4

MOTOCROSS
HARDBACK / BLUE GROOVE

Front 90/100-21
Rear 110/90-19



page 17

STARCROSS[®] SAND 4

MOTOCROSS
REAR TIRE FOR SOFT SAND

Rear 100/90-19
110/90-19



page 16

S12 XC[™]

MX / OFF-ROAD
SOFT / INTERMEDIATE

Front 90/90-21 (80/100-21)
Rear 120/90-18 (100/100-18)
130/80-18 (110/100-18)
140/80-18 (120/100-18)
120/80-19 (100/90-19)
130/70-19 (110/90-19)



page 17

M12 XC[™]

MX / OFF-ROAD
INTERMEDIATE / HARD

Front 90/90-21 (80/100-21)
Rear 120/90-18 (100/100-18)
130/80-18 (110/100-18)
120/80-19 (100/90-19)
130/70-19 (110/90-19)



page 17

CROSS AC10[®]

DUAL SPORT
90% OFF-ROAD / 10% ROAD

Front 80/100-21 51R
Rear 100/100-18 59R
110/100-18 64R
120/90-18 65R
100/90-19 57R
110/90-19 62R



page 18

DESERT[™] / DESERT RACE[™]

DESERT RACING

Front 90/90-21 54R
Rear 140/80-18 70R



page 18

INNER TUBES

OFF-ROAD, STREET AND
SCOOTER APPLICATIONS



page 20

T63[™]

DUAL SPORT
50% OFF-ROAD / 50% ROAD

Front 80/90-21 48S
Rear 130/80-17 65S
110/80-18 58S
120/80-18 62S
130/80-18 66S




page 18

TRIAL LIGHT[™]

TRIALS

Front 80/100-21
Rear 120/100R18



page 19

TRIAL COMPETITION[™]

TRIALS

Front 2.75-21
Rear 4.00-18
4.00R18 X11 (radial)



page 19

STARCROSS[®] MINI MS2 / MH3

MINI MX
SOFT / INTERMEDIATE OR
INTERMEDIATE / HARD

Front / Rear 2.50-10 (MS2 only)
2.75-10

Front 2.50-12
Rear 80/100-12
60/100-14 90/100-14
70/100-17 90/100-16
70/100-19



page 20

BIB MOUSSE[®]

ANTI-FLAT INSERT

Front M15 (80/100-21)
Rear M18 (120/90-18)
M16 (90/100-21) M14 (140/80-18)
M02 (140/90-18)
M22 (100/90-19)
M199 (110/90-19)



page 19

SCOOTER

Application Chart: page 21
Fitment Guide: page 45

NEW POWER PURE[™] SC

PREMIUM SCOOTER TIRE
DUAL COMPOUND

Front 110/90-12 64P
Rear 130/70-12 56P
120/70-12 51P 130/70-12 62P
110/90-13 56P 140/70-12 60P
120/70-13 53P 130/60-13 53P
120/70-14 55P 130/60-13 60P
120/70-14 55S 130/70-13 63P
120/80-14 58S 140/60-13 57L
120/70-15 56P 140/60-13 57P
150/70-13 64S
150/70-14 66S
130/80-15 63P



page 22

CITY GRIP[™]

PREMIUM SCOOTER TIRE

Front 110/90-12 64P
Rear 120/70-10 54L
120/70-12 51P 130/70-12 56P
120/70-12 51S 130/70-12 62P
110/90-13 56P 130/70-13 63P
90/90-14 46P 140/60-13 63P
120/70-14 55P 100/90-14 57P
120/70-14 55S 140/60-14 64P
120/70-15 56P 140/60-14 64S
120/70-15 56S 140/70-14 68S
110/70-16 52P 150/70-14 66P
110/70-16 52S 150/70-14 66S
110/80-16 55S 130/70-16 61P
140/70-16 65P
140/70-16 65S



page 23

PILOT[®] SPORT SC RADIAL

RADIAL FOR TOURING SCOOTERS

Front 120/70 R 14 55H
Rear 160/60 R 14 65H
120/70 R 15 56H 160/60 R 15 67H
120/70 R 16 57H



page 24

S83[™]

50-200cc UTILITY SCOOTERS

Front / Rear 3.50-8 46J
3.00-10 42J 100/90-10 56J
3.50-10 51J



page 25

REGGAE[™]

ALL-TERRAIN SCOOTERS

Front / Rear 120/90-10 57J 130/90-10 61J



page 25

BOPPER[®]

50-150cc SPORT SCOOTERS

Front / Rear 120/90-10 57L 120/70-12 51L
130/90-10 61L 130/70-12 56L



page 24

2012 MICHELIN MOTORCYCLE TIRES

STREET TIRES

- 3** Application Charts
- 4** MICHELIN® Power One™
Track Days / Dual Compound
- 5** MICHELIN® Power Pure™
High Performance / Dual Compound
- 6** MICHELIN® Pilot® Power 2CT
High Performance / Dual Compound
- 7** MICHELIN® Pilot® Power
High Performance
- 8** MICHELIN® Pilot® Road 3
Sport Touring / Dual Compound
- 9** MICHELIN® Pilot® Road 2
Sport Touring / Dual Compound
- 10** **NEW** MICHELIN® Commander® II
Ultra-high Mileage For Cruisers
- 12** MICHELIN® Scorchers® "11"
Harley-Davidson Original Equipment Radial
MICHELIN® Scorchers® "31"
Harley-Davidson Original Equipment
- 13** MICHELIN® Pilot® Activ
Sport Touring Bias-Ply
- 14** MICHELIN® Anakee® 2
Adventure Touring
MICHELIN® M62 Gazelle™
Urban / Utility

OFF-ROAD TIRES

- 15** Application Chart
- 16** MICHELIN® Starcross® MS3
Motocross: Soft / Intermediate
MICHELIN® Starcross® MH3
Motocross: Intermediate / Hard
MICHELIN® Starcross® Sand 4
Motocross: Rear Tire For Soft Sand
- 17** **NEW** MICHELIN® Starcross® HP4
Motocross: Hardpack / Blue Groove
MICHELIN® S12 XC™
MX / Off-Road: Soft / Intermediate
MICHELIN® M12 XC™
MX / Off-Road: Intermediate / Hard
- 18** MICHELIN® Cross AC10°
Dual Sport: 90% Off-Road / 10% Road
MICHELIN® T63™
Dual Sport: 50% Off-Road / 50% Road
MICHELIN® Desert™ & Desert Race™
Desert Racing
- 19** MICHELIN® Trial Light™
Trials
MICHELIN® Trial Competition®
Trials
MICHELIN® Bib Mousse®
Anti-Flat Insert
- 20** MICHELIN® Starcross® Mini MS2 & MH3
Mini Motocross
MICHELIN® Inner Tubes

SCOOTER TIRES


- 21** Application Chart
- 22** **NEW** MICHELIN® Power Pure SC™
The World's First Dual-Compound Scooter Tire
- 23** MICHELIN® City Grip™
Premium Tire For Touring And Urban Scooters
- 24** MICHELIN® Pilot® Sport SC Radial
Radial For Touring Scooters
MICHELIN® Bopper™
50-150cc Sport Scooters
MICHELIN® S1™
50-200cc Urban Scooters
- 25** MICHELIN® S83™
50-200cc Utility Scooters
MICHELIN® Reggae™
All-Terrain Scooters

ADDITIONAL INFORMATION


- 26** Street Tire Fitment Guide
- 45** Scooter Tire Fitment Guide
- 50** Off-Road Tire Sizing
How To Read A Tire Sidewall Load Index and Speed Rating
- 51** General Information And Precautions

MICHELIN STREET TIRES

RECOMMENDED APPLICATIONS



SPORT RADIAL COMPARISON



Footnotes: 1. Diagrams illustrate the distribution of the different rubber mixtures on two-compound tires. Rubber mixtures vary according to each product's intended use. 2. The percentage of the tread surface that is covered by grooves; for example, a slick tire has a tread void percentage of 0%. 3. Tests of wet grip and durability were conducted in 2008 by the DEKRA Test Centre with sizes 120/70 ZR 17 and 180/55 ZR 17, comparing MICHELIN® Pilot® Road 2 tires to the following competitors (listed alphabetically): Bridgestone BT-021, Continental Road Attack, Dunlop RoadSmart, Metzeler Roadtec Z6 Interact, Pirelli Diablo Strada.

Our most advanced street-legal tire



Outstanding grip for the most aggressive track day riders

- ▶ Near Slick Technology (NST) maximizes rubber-road contact
- ▶ Three advanced rubber compounds enable peak performance in a wider temperature range

Ultra-fast warm-up time


- ▶ Synthetic Component Technology (SCT) means that Power One tires warm up faster than any other MICHELIN® tire to date.

Performance optimized across the tread


- ▶ Two Compound Technology (2CT) provides a harder center compound to withstand aggressive acceleration and braking, and softer shoulder compounds to maximize lean angle



FRONT TIRE



REAR TIRE



Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in	
			Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds				
POWER ONE™ FRONT																
120/60ZR17	(55 W)	TL	122	4.80	131	5.16	576	22.68	586	23.07	218	481	4	5	3.50 (3.75)	
120/70ZR17	(58 W)	TL	122	4.80	131	5.16	600	23.62	612	24.09	236	520	4	5	3.50 (3.75)	
POWER ONE™ REAR																
160/60ZR17	(69 W)	TL	161	6.34	172	6.77	624	24.57	638	25.12	325	716	5	6	4.50 (4.25 to 5.00)	
180/55ZR17	(73 W)	TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	5	6	5.50 (6.00)	
190/50ZR17	(73 W)	TL	190	7.48	203	7.99	622	24.48	636	25.04	365	805	5	6	6.00 (5.50)	
190/55ZR17	(75 W)	TL	190	7.48	203	7.99	642	25.28	656	25.83	387	853	5	6	6.00 (5.50)	

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.



Our premier dual-compound sportbike tire

Race-like reflexes


- ▶ Provides ultimate cornering confidence and handling precision
- ▶ Revolutionary Light Tire Technology: a pair of MICHELIN® Power Pure™ tires is more than 2 pounds lighter than comparable high-performance tires*
- ▶ Improved in all key performance areas vs. MICHELIN® Pilot® Power 2CT tires

Hold the road


- ▶ All-new 2CT tread formulations for phenomenal grip
- ▶ Aggressive, longitudinal tread grooves optimize wet performance
- ▶ Superb wet and dry grip, handling, cornering stability and feedback



FRONT TIRE



REAR TIRE



Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹ kg lbs	Tread depth ² mm 32nds		Preferred rim width (compatible rims) in	
			Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	mm	32nds					
POWER PURE™ FRONT															
120/60ZR17 (55 W)		TL	122	4.80	131	5.16	576	22.68	586	23.07	218	481	4	5	3.50 (3.75)
120/70ZR17 (58 W)		TL	122	4.80	131	5.16	600	23.62	612	24.09	236	520	4	5	3.50 (3.75)
POWER PURE™ REAR															
160/60ZR17 (69 W)		TL	161	6.34	172	6.77	624	24.57	638	25.12	325	716	5	6	4.50 (4.25 to 5.00)
180/55ZR17 (73 W)		TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	5	6	5.50 (6.00)
190/50ZR17 (73 W)		TL	190	7.48	203	7.99	622	24.48	636	25.04	365	805	5	6	6.00 (5.50)
190/55ZR17 (75 W)		TL	190	7.48	203	7.99	642	25.28	656	25.83	387	853	5	6	6.00 (5.50)
200/50ZR17 (75 W)		TL	200	7.87	214	8.43	632	24.88	646	25.43	387	853	5	6	6.25 (6.00 to 6.50)

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

*Weight of MICHELIN® Power Pure™ tires in sizes 120/70 ZR 17 and 190/50 ZR 17, compared with Bridgestone BT-016, Dunlop Sportmax Qualifier II, Metzeler Sportec M3 and Pirelli Diablo Rosso.

Renowned sportbike tire



Established performer

- ▶ Renowned sport radial tire for demanding sport bike riders

Power through the curves


- ▶ 2CT means enhanced lean angle and grip when you need it most, wet or dry

Excellent handling and feedback


- ▶ Aggressive profile delivers remarkably agile response for quick transitions into full lean



FRONT TIRE



REAR TIRE



Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in	
			Static mm	in	In Use mm	in	Static mm	in	In Use mm	in	kg	lbs	mm	32nds		
PILOT® POWER 2CT FRONT																
120/60ZR17	(55 W)	TL	122	4.80	131	5.16	576	22.68	586	23.07	218	481	4	4	3.50 (3.75)	
120/70ZR17	(58 W)	TL	122	4.80	131	5.16	600	23.62	612	24.09	236	520	4	5	3.50 (3.75)	
PILOT® POWER 2CT REAR																
160/60ZR17	(69 W)	TL	161	6.34	172	6.77	624	24.57	638	25.12	325	716	6	7	4.50 (4.25 to 5.00)	
180/55ZR17	(73 W)	TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	6	7	5.50 (6.00)	
190/50ZR17	(73 W)	TL	190	7.48	203	7.99	622	24.48	636	25.04	365	805	6	7	6.00 (5.50)	
190/55ZR17	(75 W)	TL	190	7.48	203	7.99	642	25.28	656	25.83	387	853	5	6	6.00 (5.50)	

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

The reference sport radial tire

Impressive durability for a high-performance tire

- ▶ Maintains performance even when significantly worn

Uncompromising performance and mileage


- ▶ Mono-compound rubber formulations derived from MotoGP

Exceptional cornering grip in a wide range of conditions


- ▶ Soft, durable compound means great dry grip
- ▶ Silica-enriched tread provides great wet grip



FRONT TIRE



REAR TIRE



Rubber hardness
1 SOFT
 ↑ ↓
2 MEDIUM

Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹ kg lbs	Tread depth ² mm 32nds		Preferred rim width (compatible rims) in	
			Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	mm	32nds					
PILOT® POWER FRONT															
110/70ZR17 (54 W)		TL	110	4.33	118	4.65	586	23.07	596	23.46	212	467	4	5	3.00 (3.50)
120/60ZR17 (55 W)		TL	122	4.80	131	5.16	576	22.68	586	23.07	218	481	4	5	3.50 (3.75)
120/65ZR17 (56 W)		TL	122	4.80	131	5.16	588	23.15	598	23.54	224	494	4	5	3.50 (3.75)
120/70ZR17 (58 W)		TL	122	4.80	131	5.16	600	23.62	612	24.09	236	520	4	5	3.50 (3.75)
PILOT® POWER REAR															
150/60ZR17 (66 W)		TL	151	5.94	162	6.38	612	24.09	624	24.57	300	661	6	7	4.25 (4.00 to 4.50)
160/60ZR17 (69 W)		TL	161	6.34	172	6.77	624	24.57	638	25.12	325	716	6	7	4.50 (4.25 to 5.00)
170/60ZR17 (72 W)		TL	168	6.61	180	7.09	636	25.04	650	25.59	355	783	6	7	4.50 (5.00 to 5.50)
180/55ZR17 (73 W)		TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	6	7	5.50 (6.00)
190/50ZR17 (73 W)		TL	190	7.48	203	7.99	622	24.48	636	25.04	365	805	6	7	6.00 (5.50)
190/55ZR17 (75 W)		TL	190	7.48	203	7.99	642	25.28	656	25.83	387	853	5	6	6.00 (5.50)

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

Remarkable all-weather grip for sport touring



The new benchmark in sport touring tires

- ▶ Surpasses the performance of the renowned MICHELIN® Pilot® Road 2 tire
- ▶ Unrivalled grip in the wet, thanks to revolutionary X-Sipe Technology

Exceptional durability


- ▶ Unbeatable tread life from Michelin's latest-generation 2CT dual-compound technology

Performance that lasts

- ▶ Even wear and life-long performance thanks to full-depth XST sipes




▶ Sipes increase the tread's drainage capacity.




▶ Sipes generate pressures at the edge of the sipe blade, which help break through water film.

FRONT TIRE



REAR TIRE




MICHELIN Pilot Road³ Trail


For trail bikes ridden primarily on the road

- ▶ All-season grip and outstanding mileage for adventure bikes like the BMW GS, Triumph Tiger 800 and Suzuki V-Strom
- ▶ Same XST tread design, but with distribution of the 2CT dual compounds optimized for adventure touring

FRONT TIRE



REAR TIRE



Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in	
			Static mm	in	In Use mm	in	Static mm	in	In Use mm	in	kg	lbs	mm	32nds		
PILOT® ROAD 3 FRONT																
110/70ZR17 (54 W)		TL	110	4.33	118	4.65	586	23.07	596	23.46	212	467	4	5	3.00 (3.50)	
120/60ZR17 (55 W)		TL	122	4.80	131	5.16	576	22.68	586	23.07	218	481	4	5	3.50 (3.75)	
120/70ZR17 (58 W)		TL	122	4.80	131	5.16	600	23.62	612	24.09	236	520	4	5	3.50 (3.75)	
110/80ZR18 (58 W)		TL	109	4.29	117	4.61	633	24.92	645	25.39	236	520	4	5	2.50 (2.15 to 3.00)	
120/70ZR18 (59 W)		TL	122	4.80	131	5.16	625	24.61	637	25.08	243	536	4	5	3.50	
PILOT® ROAD 3 TRAIL FRONT																
110/80R19 59 V		TL	109	4.29	117	4.61	659	25.94	671	26.42	243	536	4	5	2.50	
PILOT® ROAD 3 REAR																
150/70ZR17 (69 W)		TL	151	5.94	162	6.38	642	25.28	656	25.83	325	716	6	8	4.25 (4.00 to 4.50)	
160/60ZR17 (69 W)		TL	161	6.34	172	6.77	624	24.57	638	25.12	325	716	7	9	4.50 (4.25 to 5.00)	
170/60ZR17 (72 W)		TL	168	6.61	180	7.09	636	25.04	650	25.59	355	783	6	7	4.50 (5.00 to 5.50)	
180/55ZR17 (73 W)		TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	6	8	5.50 (6.00)	
180/55ZR17B ³ (73 W)		TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	6	8	5.50 (6.00)	
190/50ZR17 (73 W)		TL	190	7.48	203	7.99	622	24.48	636	25.04	365	805	7	9	6.00 (5.50)	
190/55ZR17 (75 W)		TL	190	7.48	203	7.99	642	25.28	656	25.83	387	853	5	6	6.00 (5.50)	
160/60ZR18 (70 W)		TL	161	6.34	172	6.77	649	25.55	663	26.10	335	737	7	8	4.50 (4.25 to 5.00)	
PILOT® ROAD 3 TRAIL REAR																
150/70R17 69 V		TL	151	5.94	162	6.38	642	25.28	656	25.83	325	716	7	8	4.25 (4.00 to 4.50)	

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

³B' version designed for loaded touring or frequent riding with a passenger.

Premium sport-touring tire for everyday riders



Best combination of wet grip and tread life of any comparable tire*

- ▶ Confirmed in independent testing*

Outstanding mileage with remarkable cornering grip

- ▶ 2CT offers wear resistance in the center of the tread and grip on the shoulders, where you need it most.


Confidence for everyday riding, even in challenging conditions

- ▶ Exceptional performance in the rain
- ▶ 180/55 ZR 17 rear also available in a 'B' version, specifically designed for loaded sport touring or riding two-up.


*Tests of wet grip and durability were conducted in 2008 by the DEKRA Test Centre with sizes 120/70 ZR 17 and 180/55 ZR 17, comparing MICHELIN® Pilot® Road 2 tires to the following competitors (listed alphabetically): Bridgestone BT-021, Continental Road Attack, Dunlop RoadSmart, Metzeler Roadtec Z6 Interact, Pirelli Diablo Strada.



FRONT TIRE



REAR TIRE



Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹ kg lbs	Tread depth ² mm 32nds		Preferred rim width (compatible rims) in	
			Static mm	in	In Use mm	in	Static mm	in	In Use mm	in					
PILOT® ROAD 2 FRONT															
110/70ZR17 (54 W)		TL	110	4.33	118	4.65	586	23.07	596	23.46	212	467	4	5	3.00 (3.50)
120/60ZR17 (55 W)		TL	122	4.80	131	5.16	576	22.68	586	23.07	218	481	4	5	3.50 (3.75)
120/70ZR17 (58 W)		TL	122	4.80	131	5.16	600	23.62	612	24.09	236	520	4	5	3.50 (3.75)
110/80ZR18 (58 W)		TL	109	4.29	117	4.61	633	24.92	645	25.39	236	520	4	5	2.50 (2.15 to 3.00)
120/70ZR18 (59 W)		TL	122	4.80	131	5.16	625	24.61	637	25.08	243	536	4	5	3.50
PILOT® ROAD 2 REAR															
150/70ZR17 (69 W)		TL	151	5.94	162	6.38	642	25.28	656	25.83	325	716	6	8	4.25 (4.00 to 4.50)
160/60ZR17 (69 W)		TL	161	6.34	172	6.77	624	24.57	638	25.12	325	716	7	9	4.50 (4.25 to 5.00)
170/60ZR17 (72 W)		TL	168	6.61	180	7.09	636	25.04	650	25.59	355	783	6	7	4.50 (5.00 to 5.50)
180/55ZR17 (73 W)		TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	6	8	5.50 (6.00)
180/55ZR17B ³ (73 W)		TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	6	8	5.50 (6.00)
190/50ZR17 (73 W)		TL	190	7.48	203	7.99	622	24.48	636	25.04	365	805	7	9	6.00 (5.50)
190/55ZR17 (75 W)		TL	190	7.48	203	7.99	642	25.28	656	25.83	387	853	5	6	6.00 (5.50)
160/60ZR18 (70 W)		TL	161	6.34	172	6.77	649	25.55	663	26.10	335	737	7	8	4.50 (4.25 to 5.00)

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

³'B' version designed for loaded touring or frequent riding with a passenger.

Nearly twice the mileage of competing cruiser tires

A new standard in cruiser tire longevity

- ▶ Commissioned third-party tests* show that the MICHELIN® Commander® II rear tire lasts almost twice as long as its main competitors, the Metzeler ME 880 and the Dunlop D407/408.

Innovative technology

- ▶ Amplified Density Technology: A highly dense, more-rigid tire casing, which helps deliver excellent feedback and handling.



◀ Conventional 71-thread ply



◀ Commander II 90-thread ply is 25% more dense than conventional plies

- ▶ Aramid tread plies on the rear tire resist centrifugal growth, reduce weight and provide excellent stability.
- ▶ All-new rubber compounds for remarkable wet grip, without compromising durability.
- ▶ Square bead-wire package improves casing rigidity, handling and ease of installation.



A groundbreaking new look

- ▶ Unique tread pattern for head-turning looks.
- ▶ Premium sidewall treatment complements cruiser styling.

Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹ kg lbs	Tread depth ² mm 32nds	Preferred rim width (compatible rims) in
			Static mm	In Use in	Static mm	In Use in	Static mm	In Use in					
COMMANDER® II FRONT BIAS													
130/90B16 (MT90B16)	73 H 16 MI, 16 MI2 or TL	TL	129	5.08	142	5.59	640	25.20	656	25.83	365 805	4 5	3.00 (2.50 to 3.50)
120/90B17	64 S 17 MH or TL	TL	119	4.69	131	5.16	648	25.51	664	26.14	280 617	4 5	2.75
130/80B17	65 H 17 MH or TL	TL	129	5.08	142	5.59	640	25.20	654	25.75	290 639	4 5	3.00
100/90B19	57 H 19 MF or TL	TL	101	3.98	111	4.37	663	26.10	675	26.57	230 507	5 6	2.50 (2.15 to 2.75)
80/90-21 (MH90-21)	54 H 21 MD or TL	TL	80	3.15	88	3.46	677	26.65	687	27.05	212 467	4 5	2.15
COMMANDER® II FRONT RADIAL													
140/75R17	67 V TL	TL	139	4.80	153	5.16	642	22.68	656	23.07	307 677	4 5	3.50 (3.75)
COMMANDER® II REAR BIAS													
140/90B15	76 H 15 MJ or TL	TL	142	5.59	156	6.14	633	24.92	651	25.63	400 882	8 9	3.50 (2.75 to 3.75)
150/90B15	74 H 15 MJ or TL	TL	150	5.91	165	6.50	651	25.63	669	26.34	375 827	8 9	3.50 (3.00 to 4.25)
170/80B15	77 H 15 MJ or TL	TL	170	6.69	187	7.36	653	25.71	673	26.50	412 908	7 9	4.00 (3.50 to 4.50)
130/90B16 (MT90B16)	73 H 16 MI, 16 MI2 or TL	TL	129	5.08	142	5.59	640	25.20	656	25.83	365 805	8 9	3.00 (2.50 to 3.50)
140/90B16 (MU90B16)	77 H 16 MI, 16 MI2 or TL	TL	142	5.59	156	6.14	658	25.91	676	26.61	412 908	8 9	3.50 (2.75 to 3.75)
150/80B16	77 H 16 MI, 16 MI2 or TL	TL	150	5.91	165	6.50	646	25.43	662	26.06	412 908	8 9	3.50 (3.00 to 4.25)
180/65B16	81 H none available or TL	TL	180	7.09	198	7.80	640	25.20	656	25.83	462 1019	9 11	5.00
160/70B17	73 V 17 MI or TL	TL	161	6.34	177	6.97	656	25.83	672	26.46	365 805	7 9	4.50
COMMANDER® II REAR RADIAL													
200/55R17	78 V TL	TL	200	7.87	220	8.66	652	25.67	668	26.30	425 937	7 9	6.25

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

*Tests conducted by Texas Test Fleet in 2011 on public roads comparing MICHELIN Commander II, Metzeler ME880 and Dunlop D407/408 in sizes 130/80 B 17 (front) and 180/65 B 16 (rear). Individual results may vary depending on motorcycle type and operating conditions.

Fitment recommendations

Harley-Davidson	Year	Front	Rear
Road King	1994–2003	130/90B16 73H	130/90B16 73H
Road King	2004–2008	130/90B16 73H	140/90B16 77H
Road King	2009–2012	130/80B17 65H	180/65B16 81H
Electra Glide	1995–2003	130/90B16 73H	130/90B16 73H
Electra Glide	2004–2008	130/90B16 73H	140/90B16 77H
Electra Glide	2009–2012	130/80B17 65H	180/65B16 81H
Street Glide	2006–2008	130/90B16 73H	140/90B16 77H
Heritage Softail Classic	1993–2002	130/90B16 73H	130/90B16 73H
Heritage Softail Classic	2003–2012	130/90B16 73H	150/80B16 77H
Fat Boy	1990–2002	130/90B16 73H	130/90B16 73H
Fat Boy	2003–2006	130/90B16 73H	150/80B16 77H
Fat Boy	2011–2012	140/75R17 67V	200/55R17 78V
Softail Deluxe	2005–2010	130/90B16 73H	140/90B16 77H
Heritage Springer	1981–2002	130/90B16 73H	130/90B16 73H
Road Glide	1998–2003	130/90B16 73H	130/90B16 73H
Road Glide	2004–2008	130/90B16 73H	140/90B16 77H
Road Glide Ultra	2011–2012	130/80B17 65H	180/65B16 81H
Dyna, Super Glide	1993–2001	100/90B19 57H	130/90B16 73H
Dyna Super Glide	2002–2005	100/90B19 57H	150/80B16 77H
Dyna Super Glide	2006–2010	100/90B19 57H	160/70B17 73V
Dyna Super Glide Custom	2006–2012	100/90B19 57H	160/70B17 73V
Dyna Street Bob	2006–2012	100/90B19 57H	160/70B17 73V
Dyna Low Rider	1999–2001	100/90B19 57H	130/90B16 73H
Dyna Low Rider	2002–2005	100/90B19 57H	150/80B16 77H
Dyna Low Rider	2006–2010	100/90B19 57H	160/70B17 73V
Dyna Wide Glide	1999–2001	80/90-21 54H	130/90B16 73H
Dyna Super Glide Inj.	2002–2005	80/90-21 54H	150/80B16 77H
Dyna Wide Glide	2006–2008	80/90-21 54H	160/70B17 73V
Dyna Super Glide Sport	1999–2001	100/90B19 57H	130/90B16 73H
Dyna Super Glide Sport	2002–2005	100/90B19 57H	150/80B16 77H
Softail Standard	1999–2002	80/90-21 54H	130/90B16 73H
Softail Standard	2003–2005	80/90-21 54H	150/80B16 77H
Night Train	1999–2002	80/90-21 54H	130/90B16 73H
Night Train	2003–2005	80/90-21 54H	150/80B16 77H
1340 Softail Custom	1995–2002	80/90-21 54H	130/90B16 73H
1340 Softail Custom	2003–2005	80/90-21 54H	150/80B16 77H
Softail Deuce	2000–2007	80/90-21 54H	160/70B17 73V
Springer Softail	1995–2002	80/90-21 54H	130/90B16 73H
Springer Softail	2003–2005	80/90-21 54H	150/80B16 77H
Sportster 1200 Custom	1999–2003	80/90-21 54H	130/90B16 73H
Sportster 1200 Custom	2004–2010	80/90-21 54H	150/80B16 77H
Sportster 1200 Custom	2011–2012	130/90B16 73H	150/80B16 77H

Harley-Davidson (cont'd)	Year	Front	Rear
Nightster	2007–2012	100/90B19 57H	150/80B16 77H
Sportster 1200 Roadster	2004–2008	100/90B19 57H	150/80B16 77H
Sportster 1200 Low	2004–2011	100/90B19 57H	150/80B16 77H
Forty Eight	2010–2012	130/90B16 73H	150/80B16 77H
XL 53C Sportster	1999–2002	80/90-21 54H	130/90B16 73H
Sportster 883 Custom	2004–2009	80/90-21 54H	150/80B16 77H
Sportster 883	1988–2003	100/90B19 57H	130/90B16 73H
Sportster 883 & Low	2004–2010	100/90B19 57H	150/80B16 77H
Honda	Year	Front	Rear
Shadow 600 VLX / Deluxe	1988–2007	100/90 B19 57H	170/80 B15 77H
Shadow 750 RS	2010–2012	100/90 B19 57H	150/80 B16 77H
Shadow 750 ACE	1998–2003	120/90 B17 64S	170/80 B15 77H
Kawasaki	Year	Front	Rear
Vulcan 500 LTD	1990–2009	100/90 B19 57H	140/90 B15 76H
Vulcan 750	1986–2006	100/90 B19 57H	150/90 B15 74H
Vulcan 800	1995–2005	80/90-21 54H	140/90 B16 77H
Vulcan 800 Classic	1996–2005	130/90 B16 73H	140/90 B16 77H
Vulcan 800 Drifter	1999–2006	130/90 B16 73H	140/90 B16 77H
Vulcan 1500L	1987–1999	100/90 B19 57H	150/90 B15 74H
Vulcan 1500 Classic	1996–2008	130/90 B16 73H	150/80 B16 77H
VN 1500 Vulcan Drifter	1999–2006	130/90 B16 73H	150/80 B16 77H
Suzuki	Year	Front	Rear
Savage 650	1986–2004	100/90 B19 57H	140/90 B15 76H
Intruder 800 Volusia	2001–2004	130/90 B16 73H	170/80 B15 77H
LS 650 Boulevard S40	2005–2012	100/90 B19 57H	140/90 B15 76H
Boulevard C50	2005–2009	130/90 B16 73H	170/80 B15 77H
Boulevard C50T & Classic	2005–2012	130/90 B16 73H	170/80 B15 77H
Intruder 800	2000–2004	100/90 B19 57H	140/90 B15 76H
Boulevard S50	2005–2009	100/90 B19 57H	140/90 B15 76H
Marauder 800	1997–2004	130/90 B16 73H	140/90 B15 76H
Boulevard M50	2005–2009	130/90 B16 73H	170/80 B15 77H
Triumph	Year	Front	Rear
Adventurer 900	1999–2001	100/90 B19 57H	150/80 B16 77H
America	2011–2012	130/90 B16 73H	170/80 B15 77H
Speedmaster	2011–2012	100/90 B19 57H	170/80 B15 77H
Yamaha	Year	Front	Rear
Virago 535	1987–2000	100/90 B19 57H	140/90 B15 76H
V Star 650 Classic & Silverado	1998–2010	130/90 B16 73H	170/80 B15 77H
V Star 650 Custom	1998–2011	100/90 B19 57H	170/80 B15 77H
V Star 1100	2000–2010	130/90 B16 73H	170/80 B15 77H
Road Star 1600	1999–2003	130/90 B16 73H	150/80 B16 77H
Road Star 1700	2004–2012	130/90 B16 73H	150/80 B16 77H

MICHELIN *Scorcher* 11

ORIGINAL-EQUIPMENT RADIAL FOR SELECT HARLEY-DAVIDSON® MODELS

- ▶ Original equipment on 2012 Sportster SuperLow®, XR1200X™, V-Rod® 10th Anniversary Edition, V-Rod Muscle® and V-Rod Night Rod® Special motorcycles, with approved fitments for additional model years.
- ▶ Outstanding grip: Semi-slick tread pattern maximizes the contact patch for excellent adhesion on dry roads. Optimized tread groove design efficiently evacuates water for dependable wet grip.
- ▶ Excellent tread life: Racing-derived rubber compounds combine durability and high performance.
- ▶ Precise handling: Michelin radial technology allows for easy maneuverability and impressive agility at highway speeds.
- ▶ Available exclusively at Harley-Davidson® dealers.

Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in
			Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds	
SCORCHER® "11" FRONT															
120/70ZR18	(59 W)	TL	122	4.80	131	5.16	625	24.61	637	25.08	243	536	3	4	3.50 (3.75)
120/70ZR19	(60 W)	TL	122	4.80	131	5.16	651	25.87	663	26.10	250	551	5	6	3.50 (3.75)
SCORCHER® "11" REAR															
150/60ZR17	(66 W)	TL	151	5.95	162	6.38	612	24.09	624	24.57	325	716	6	8	4.25
180/55ZR17	(73 W)	TL	178	7.01	190	7.48	630	24.80	644	25.35	365	805	6	8	5.50 (6.00)
240/40R18	79 V	TL	240	9.44	257	10.12	649	25.55	663	26.10	335	739	6	8	8.50



MICHELIN *Scorcher* 31

ORIGINAL-EQUIPMENT FOR SELECT HARLEY-DAVIDSON® MODELS

- ▶ Original equipment on 2012 Dyna® Super Glide® Custom, Dyna® Street Bob®, Dyna® Wide Glide®, XL 1200 Custom®, Nightster®, 1200 Low, Forty Eight™, Iron 883™ and 883 Roadster™ models, with approved fitments for additional model years.
- ▶ Innovative rubber compounds, incorporating know-how derived from Michelin's decades of racing experience, provide remarkable grip on both wet and dry roads.
- ▶ Supple casing design and profile promote rock-solid handling.
- ▶ Michelin carbon black-enriched rubber compounds promote excellent durability without compromising performance.
- ▶ Available exclusively at Harley-Davidson® dealers.

Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in
			Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds	
SCORCHER® "31" FRONT															
130/90B16	73 H	TL, 16MI or 16MI2	129	5.08	142	5.59	640	25.20	656	25.83	365	805	4	5	3.00 (2.50 to 3.50)
100/90B19	57 H	TL or 19MF	101	3.98	111	4.37	663	26.10	675	26.57	230	507	5	6	2.50 (2.15 to 2.75)
80/90-21	54 H	TL or 21MD	80	3.15	88	3.46	677	26.65	687	27.05	180	397	4	5	1.85
SCORCHER® "31" REAR															
150/80B16	77 H	TL, 16MI or 16MI2	150	5.91	165	6.50	646	25.43	662	26.06	412	908	7	9	3.50 (3.00 to 4.25)
160/70B17	73 V	TL or 17MI	161	6.34	177	6.97	656	25.83	672	26.46	365	805	6	8	4.50
180/60B17	75 V	TL or 17MI	180	7.09	193	7.60	648	25.51	664	26.14	387	853	7	8	5.00

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.



Premium-quality replacement tire

Excellent value in a bias-ply replacement tire

- ▶ Outstanding combination of performance and durability at a very attractive price
- ▶ 20% longer tread life than previous generation of MICHELIN® bias-ply touring tires

Grip, longevity and stability

- ▶ Wide tread blocks on the rear tire mean more road-rubber contact
- ▶ Longitudinal and lateral tread grooves for effective water evacuation

Comprehensive range of sizes

- ▶ 25 sizes available to fit a wide range of touring, sport touring and standard bikes



Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in	
			Static mm	In Use in	mm	in	Static mm	In Use in	mm	in	kg	lbs	mm	32nds		
PILOT® ACTIV FRONT																
120/80-16	60 V	TL or 16MI	119	4.69	131	5.16	598	23.54	612	24.09	250	551	4	5	2.75 (2.50 to 3.00)	
110/70-17	54 H	TL or 17MG	110	4.33	121	4.76	586	23.07	596	23.46	212	467	5	6	3.00 (2.75 to 3.50)	
110/80-17	57 H	TL or 17MG	109	4.29	120	4.72	608	23.94	620	24.41	230	507	5	6	2.50 (2.15 to 3.00)	
110/80-17	57 V	TL or 17MG	109	4.29	120	4.72	608	23.94	620	24.41	230	507	5	6	2.50 (2.15 to 3.00)	
120/70-17	58 H	TL or 17MG	122	4.80	134	5.28	600	23.62	612	24.09	236	520	5	6	3.50 (3.00 to 3.75)	
90/90-18	51 H	TL or 18MF	90	3.54	99	3.90	619	24.37	631	24.84	195	430	5	6	2.15 (1.85 to 2.50)	
100/90-18	56 H	TL or 18MF	101	3.98	111	4.37	637	25.08	649	25.55	224	494	5	6	2.50 (2.15 to 2.75)	
100/90-18	56 V	TL or 18MF	101	3.98	111	4.37	637	25.08	649	25.55	224	494	5	6	2.50 (2.15 to 2.75)	
110/80-18	58 V	TL or 18MF	109	4.29	120	4.72	633	24.92	645	25.39	236	520	5	6	2.50 (2.15 to 3.00)	
110/90-18	61 V	TL or 18MF	109	4.29	120	4.72	655	25.79	669	26.34	257	567	5	6	2.50 (2.15 to 3.00)	
100/90-19	57 H	TL or 19MF	101	3.98	111	4.37	663	26.10	675	26.57	230	507	5	6	2.50 (2.15 to 2.75)	
100/90-19	57 V	TL or 19MF	101	3.98	111	4.37	663	26.10	675	26.57	230	507	5	6	2.50 (2.15 to 2.75)	
3.25-19	54 H	TL or 19MF	89	3.50	96	3.78	665	26.18	677	26.65	212	467	5	6	2.15 (1.85 to 2.50)	
PILOT® ACTIV REAR																
130/70-17	62 H	TL or 17MH	129	5.08	142	5.59	614	24.17	626	24.65	265	584	7	9	3.50 (3.00 to 4.00)	
130/80-17	65 H	TL or 17MH	129	5.08	142	5.59	640	25.20	654	25.75	290	639	7	9	3.00 (2.50 to 3.50)	
130/90-17	68 V	TL or 17MI	129	5.08	142	5.59	666	26.22	682	26.85	315	695	7	9	3.00 (2.50 to 3.50)	
140/70-17	66 H	TL or 17MH	139	5.47	153	6.02	628	24.72	642	25.28	300	662	7	9	3.75 (3.50 to 4.00)	
140/80-17	69 V	TL or 17MI	142	5.59	156	6.14	656	25.83	672	26.46	325	717	7	9	3.50 (2.75 to 3.75)	
150/70-17	69 H	TL or 17MI	151	5.94	166	6.54	642	25.28	656	25.83	325	717	7	9	4.25 (3.50 to 4.50)	
150/70-17	69 V	TL or 17MI	151	5.94	166	6.54	642	25.28	656	25.83	325	717	7	9	4.25 (3.50 to 4.50)	
120/90-18	65 H	TL or 18MG	119	4.69	131	5.16	673	26.50	689	27.13	290	639	7	9	2.75 (2.50 to 3.00)	
120/90-18	65 V	TL or 18MG	119	4.69	131	5.16	673	26.50	689	27.13	290	639	7	9	2.75 (2.50 to 3.00)	
130/70-18	63 H	TL or 18MG	129	5.08	142	5.59	639	25.16	651	25.63	272	600	7	9	3.50 (3.00 to 4.00)	
130/80-18	66 V	TL or 18MG	129	5.08	142	5.59	665	26.18	679	26.73	300	662	7	9	3.00 (2.50 to 3.50)	
4.00-18	64 H	TL or 18MG	108	4.25	117	4.61	671	26.42	685	26.97	280	617	7	9	2.50 (2.15 to 3.00)	

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

Exceptional mileage compared to competing tires

- ▶ 29% longer tread life than its closest competitors*, with no compromise in wet grip (radial sizes only)

Excellent all-weather performance

- ▶ Versatile tread design with deep channels for water evacuation
- ▶ Silica-charged rubber compound

Radial or bias to fit most adventure touring bikes

- ▶ Excellent for bikes like the BMW GS, Suzuki V-Strom and Triumph Tiger
- ▶ Also great for older models that accept bias tires

*Compared with Bridgestone Trail Wing and Metzeler Tourance EXP. Test conducted by CERM (Centre d'Essais Routiers Mécaniques) in 2008 using radial sizes 110/80 R 19 and 150/70 R 17.



Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in
			Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds			
ANAKEE® 2 FRONT BIAS															
90/90-21	54 S	TL or 21MDR	90	3.54	99	3.90	695	27.36	713	28.07	212	467	5	6	2.15 (1.85 to 2.50)
90/90-21	54 H	TL or 21MDR	90	3.54	99	3.90	695	27.36	713	28.07	212	467	5	6	2.15 (1.85 to 2.50)
90/90-21	54 V	TL or 21MDR	90	3.54	99	3.90	695	27.36	713	28.07	212	467	5	6	2.15 (1.85 to 2.50)
100/90-19	57 H	TL or 19MF	101	3.98	111	4.37	663	26.10	685	26.97	230	507	5	6	2.50 (2.15 to 2.75)
ANAKEE® 2 REAR BIAS															
120/90-17	64 S	TL or 17MH	119	4.69	131	5.16	648	25.51	664	26.14	280	617	7	9	2.75 (2.15 to 3.00)
ANAKEE® 2 FRONT RADIAL															
110/80R19	59 H	TL or 19MF	109	4.29	120	4.72	659	25.94	681	26.81	243	536	5	6	2.50
110/80R19	59 V	TL or 19MF	109	4.29	120	4.72	659	25.94	681	26.81	243	536	5	6	2.50
ANAKEE® 2 REAR RADIAL															
130/80R17	65 S	TL or 17MH	129	5.08	142	5.59	640	25.20	654	25.75	290	639	8	10	3.00
130/80R17	65 H	TL or 17MH	129	5.08	142	5.59	640	25.20	654	25.75	290	639	8	10	3.00
140/80R17	69 H	TL or 17MI	142	5.59	156	6.14	656	25.83	682	26.85	325	717	8	10	3.50
150/70R17	69 H	TL or 17MI	149	5.87	164	6.46	642	25.28	656	25.83	325	717	8	10	4.25
150/70R17	69 V	TL or 17MI	149	5.87	164	6.46	642	25.28	656	25.83	325	717	8	10	4.25

MICHELIN M62 GAZELLE

URBAN / UTILITY

Great durability and long tread life

- ▶ Reinforced casing for high-stress loads
- ▶ Deep tread pattern for long wear

Resistant to tread cuts, punctures, and casing damage

- ▶ Tread plies overlap to strengthen tires and resist punctures

Comfortable ride

- ▶ Flexible sidewall provides excellent shock absorption

Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in
			Static mm	In Use in	Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds			
M62 GAZELLE® FRONT/REAR															
2.25-17	38 P	None avail.	60	2.36	66	2.60	556	21.89	568	22.36	132	291	4	5	1.50 (1.20 to 1.60)
2.50-17	43 P	None avail.	64	2.52	70	2.76	568	22.36	580	22.83	155	342	5	6	1.50 (1.35 to 1.60)
2.75-17	47 P	None avail.	75	2.95	81	3.19	588	23.15	600	23.62	175	386	5	7	1.85 (1.50 to 1.60)
2.75-18	48 P	None avail.	75	2.95	81	3.19	613	24.13	625	24.61	180	397	5	7	1.85 (1.50 to 1.60)
M62 GAZELLE® REAR															
3.00-17	50 P	None avail.	80	3.15	86	3.39	602	23.70	614	24.17	190	419	6	7	1.85 (1.60 to 2.15)
3.00-18	52 P	None avail.	80	3.15	86	3.39	627	24.69	639	25.16	200	441	6	7	1.85 (1.60 to 2.15)

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.





MICHELIN OFF-ROAD TIRES

RECOMMENDED APPLICATIONS

Photo: Steve Cox

	MOTOCROSS				OFF-ROAD			MINI MX			TRIALS	DUAL SPORT		
	Sand	Soft	Intermediate	Hard	Soft	Intermediate	Hard	Soft	Intermediate	Hard	Desert Racing	10% Road	50% Road	
Starcross® MS3														
Starcross® MH3														
Starcross® HP4														
Starcross® Sand 4														
S12 XC™														
M12 XC™														
Cross AC10®														
T63™														
Starcross® MS2 Mini														
Starcross® MH3 Mini														
Desert™/Desert Race™														
Trial Light™														
Trial Competition™														

OFF-ROAD APPLICATION CHART



MICHELIN

STARCROSS MS3

MOTOCROSS: SOFT / INTERMEDIATE

The best traction of all MICHELIN® motocross tires on loose dirt

- ▶ Scoop-like knob design, with widely spaced knobs for mud evacuation
- ▶ Reversible, with equal traction in both directions

Outstanding durability

- ▶ Reinforced knobs resist wear on harder tracks

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
STARCROSS® MS3 FRONT															
80/100-21		21MDR or 21UHD	80	3.15	88	3.46	693	27.28	713	28.07	195	430	12	15	1.85 (1.60 to 2.15)
STARCROSS® MS3 REAR															
100/90-19		19MFR or 19UHD	101	3.98	111	4.37	663	26.10	683	26.89	230	507	17	21	2.50 (2.15 to 3.00)
110/90-19		19MER or 19UHD	109	4.29	120	4.72	681	26.81	703	27.68	265	584	17	21	2.50 (2.15 to 3.00)



MICHELIN

STARCROSS MH3

MOTOCROSS: INTERMEDIATE / HARD

Designed for traction in dry and hard-packed conditions

- ▶ Wide central knobs for forward drive and dependable starts
- ▶ Sculpted side knobs for aggressive cornering
- ▶ Reversible, with massive central knobs that resist chunking

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
STARCROSS® MH3 FRONT															
80/100-21		21MDR or 21UHD	80	3.15	88	3.46	693	27.28	713	28.07	195	430	12	15	1.85 (1.60 to 2.15)
STARCROSS® MH3 REAR															
100/90-19		19MFR or 19UHD	101	3.98	111	4.37	663	26.10	683	26.89	230	507	17	21	2.50 (2.15 to 3.00)
110/90-19		19MER or 19UHD	109	4.29	120	4.72	681	26.81	703	27.68	265	584	17	21	2.50 (2.15 to 3.00)



MICHELIN

STARCROSS SAND 4

MOTOCROSS: REAR TIRE FOR SOFT SAND

Remarkable forward drive on sand tracks

- ▶ Scoop-like knob orientation for exceptional traction in deep sand
- ▶ Ample spacing helps prevent sand from packing in between knobs
- ▶ Recommended for use with MICHELIN® S12 XC™ or Starcross® MS3 front tires

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
STARCROSS® SAND 4 REAR															
100/90-19		19MFR or 19UHD	101	3.98	111	4.37	663	26.10	683	26.97	230	507	17	21	2.50 (2.15 to 3.00)
110/90-19		19MER or 19UHD	109	4.29	120	4.72	681	26.81	703	27.68	265	584	17	21	2.50 (2.15 to 3.00)

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.



OFF-ROAD MOTOCROSS

NEW MICHELIN



MOTOCROSS: HARDBACK / BLUE GROOVE

Innovative knob patterns for cornering grip on hardpack

- ▶ Closely-spaced knobs help maximize contact patch
- ▶ Wave-like knob pattern on the rear enhances grip in dusty, hard-packed conditions

Large front contact patch for confidence and control

- ▶ Wide 90/100-21 front tire enhances predictability in blue-groove conditions

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
STARCROSS® HP4 FRONT															
90/100-21		21MDR or 21UHD	90	3.54	99	3.90	698	27.48	718	28.27	195	430	12	15	1.60
STARCROSS® MS3 REAR															
110/90-19		19MFR or 19UHD	109	4.29	120	4.72	676	26.61	698	27.48	265	584	16	20	2.15



MICHELIN S12 XC

MX / OFF-ROAD: SOFT / INTERMEDIATE

Most versatile tire in the MICHELIN® off-road range

- ▶ Excels in a wide variety of conditions from soft mud to loose dirt
- ▶ Rigid sidewalls for superb rider feedback
- ▶ Exceptional traction on soft terrain, with tall, narrow knobs for penetration

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
S12 XC™ FRONT															
90/90-21 (80/100-21)		21MDR or 21UHD	80	3.15	88	3.46	693	27.28	713	28.07	195	430	12	15	1.85 (1.60 to 2.15)
S12 XC™ REAR															
120/90-18 (100/100-18)		18MFR, 18UHDM	101	3.98	111	4.37	657	25.86	681	26.81	243	536	17	21	2.50 (2.15 to 2.75)
130/80-18 (110/100-18)		18MFR, 18UHDM	109	4.29	120	4.72	677	26.65	703	27.68	280	617	17	21	2.50 (2.15 to 2.75)
140/80-18 (120/90-18)		18MFR, 18UHDM	119	4.69	131	5.16	673	26.50	699	27.52	290	639	17	21	2.75 (2.50 to 3.00)
120/80-19 (100/90-19)		19MFR or 19UHD	101	3.98	111	4.37	663	26.10	685	26.97	230	507	17	21	2.50 (2.15 to 3.00)
130/70-19 (110/90-19)		19MER or 19UHD	109	4.29	120	4.72	681	26.81	705	27.76	265	584	17	21	2.50 (2.15 to 3.00)



OFF-ROAD MOTOCROSS

MICHELIN M12 XC

MX / OFF-ROAD: INTERMEDIATE / HARD

Developed for mixed/dry conditions

- ▶ Massive knobs resist tearing on hardpack
- ▶ Knob pattern designed for traction in loose dirt
- ▶ Confidence-inspiring traction and steering

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
M12 XC™ FRONT															
90/90-21 (80/100-21)		21MDR or 21UHD	80	3.15	88	3.46	693	27.28	713	28.07	195	430	12	15	1.85 (1.60 to 2.15)
M12 XC™ REAR															
120/90-18 (100/100-18)		18MFR, 18UHDM	101	3.98	111	4.37	657	25.86	681	26.81	243	536	17	21	2.50 (2.15 to 2.75)
130/80-18 (110/100-18)		18MFR, 18UHDM	109	4.29	120	4.72	677	26.65	703	27.68	280	617	17	21	2.50 (2.15 to 2.75)
120/80-19 (100/90-19)		19MFR or 19UHD	101	3.98	111	4.37	663	26.10	685	26.97	230	507	17	21	2.50 (2.75 to 3.00)
130/70-19 (110/90-19)		19MER or 19UHD	109	4.29	120	4.72	681	26.81	705	27.76	265	584	17	21	2.50 (2.15 to 3.00)



www.MichelinMotorcycle.com

Off-Road: MX / Dual Sport ■ Page 17



MICHELIN CROSS AC10

DUAL SPORT: 90% OFF-ROAD / 10% ROAD

- ▶ Excellent traction on varied terrain; especially good on hard-packed trails
- ▶ DOT-legal, with a rubber mixture formulated for long tread life
- ▶ Resists tearing and chunking even under hard use

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims)					
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds	in					
CROSS AC10[®] FRONT																
80/100-21	51 R	21MDR or 21UHD	80	3.15	88	3.46	693	27.28	713	28.07	195	430	12	15	1.85 (1.60 to 2.15)	
CROSS AC10[®] REAR																
100/100-18	59 R	18MFR or 18UHD	Med.101	3.98	111	4.37	657	25.86	681	26.81	243	536	17	21	2.50 (2.15 to 2.75)	
110/100-18	64 R	18MFR or 18UHD	Med.109	4.29	120	4.72	677	26.65	703	27.68	280	617	17	21	2.50 (2.15 to 2.75)	
120/90-18	65 R	18MFR or 18UHD	Med.119	4.69	131	5.16	673	26.50	699	27.52	290	639	17	21	2.75 (2.50 to 3.00)	
100/90-19	57 R	19MFR or 19UHD	101	3.98	111	4.37	663	26.10	685	26.97	230	507	17	21	2.50 (2.15 to 2.75)	
110/90-19	62 R	19MFR or 19UHD	109	4.29	120	4.72	681	26.81	705	27.76	265	584	17	21	2.50 (2.15 to 3.00)	



MICHELIN T63

DUAL SPORT: 50% OFF-ROAD / 50% ROAD

- ▶ True multi-purpose tire: reinforced knobs resist tearing and chunking on asphalt, with excellent traction and stability for off-road use; DOT-legal
- ▶ Knob pattern derived from Dakar-winning MICHELIN[®] Desert[™] tires

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims)					
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds	in					
T63[™] FRONT																
80/90-21	48 S	21MDR or 21UHD	80	3.15	88	3.46	677	26.65	695	27.36	180	397	12	15	1.85 (1.60 to 2.15)	
90/90-21	54 S	21MDR or 21UHD	90	3.54	99	3.90	695	27.36	713	28.07	212	467	12	15	1.85 (1.60 to 2.15)	
T63[™] REAR																
130/80-17	65 S	17MH	129	5.08	142	5.59	640	25.20	664	26.14	290	639	17	21	3.00	
110/80-18	58 S	18MF	109	4.29	120	4.72	633	24.92	655	25.79	236	520	17	21	2.50 (2.15 to 2.75)	
120/80-18	62 S	18MF	119	4.69	131	5.16	649	25.55	671	26.42	265	584	17	21	2.75 (2.50 to 3.00)	
130/80-18	66 S	18MFR or 18UHD	129	5.08	142	5.59	665	26.18	689	27.13	300	661	17	21	3.00	



MICHELIN DESERT / DESERT RACE

DESERT RACING

- ▶ Excellent durability, even in high temperatures
- ▶ DOT-legal, so you don't have to trailer your bike to the trails
- ▶ New Desert Race rear tire delivers improved handling, grip and traction
- ▶ Rear Desert Race casing engineered for reduced operating temperature and improved tire life.

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims)					
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds	in					
DESERT[™] FRONT																
90/90-21	54 R	21MDR or 21UHD	890	3.54	99	3.90	695	27.36	713	28.07	195	430	12	15	1.85 (1.60 to 2.15)	
DESERT RACE[™] REAR																
140/80-18	70 R	18MFR or 18UHD	142	5.59	156	6.14	681	26.81	707	27.83	335	739	17	21	3.50 (2.15 to 3.00)	

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.



MICHELIN TRIAL LIGHT

TRIALS

- ▶ More than a pound lighter than its predecessor, for improved suspension response and maneuverability
- ▶ Rigid sidewalls reduce tire movement on the rim, even at very low pressure
- ▶ Recommended pressures for trials use: 6 psi front, 5 psi rear
- ▶ Maximized Contact Patch casing enhances grip on loose dirt and in corners
- ▶ Not recommended for highway use



Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in	
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds		
TRIAL LIGHT™ FRONT												
80/100-21	21 Special Trial		80	3.15	88	3.46	693	27.28	713	28.07	165 364	8 10 1.85 (1.60 to 2.15)
TRIAL X LIGHT™ REAR												
120/100R18	18 Special Trial		119	4.69	131	5.16	697	27.44	725	28.54	280 617	13 16 2.75



MICHELIN TRIAL COMPETITION

TRIALS

- ▶ Soft rubber mix for exceptional traction
- ▶ Supple casing for shock absorption
- ▶ Available X11 radial rear tire provides remarkable grip in difficult conditions
- ▶ Recommended pressures for trials use: 6 psi front, 5 psi rear
- ▶ Not recommended for highway use

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in	
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds		
TRIAL COMPETITION™ FRONT												
2.75-21	21 Special Trial		75	2.95	86	3.39	689	27.13	707	27.83	165 364	8 10 1.85 (1.60 to 2.15)
TRIAL COMPETITION™ REAR												
4.00-18	18 Special Trial		108	4.25	124	4.88	671	26.42	697	27.44	280 617	13 16 2.50 (1.85 to 2.15)
TRIAL COMPETITION™ X11 REAR RADIAL												
4.00R18	18 Special Trial		108	4.25	124	4.88	671	26.42	697	27.44	280 617	8 10 2.50 (1.85 to 2.15)

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.
²Tread depth measurements rounded to nearest whole number.



OFF-ROAD TRIALS / BIB MOUSSE

MICHELIN BIB MOUSSE

ANTI-FLAT INSERT

- ▶ Multi-cellular foam insert replaces conventional off-road tubes (not for on-road use)
- ▶ Suitable for outdoor motocross or off-road racing at speeds up to 80 mph
- ▶ Wide range of sizes to fit most MICHELIN® off-road motorcycle tires
- ▶ Simulates air pressure of approximately 13 psi; service life up to six months after installation
- ▶ Fitting gel included with each MICHELIN® Bib Mousse® insert

Front Bib Mousse®	Tire size	Rim sizes	Rear Bib Mousse®	Tire size	Rim sizes	Rear Bib Mousse®	Tire size	Rim sizes
M15	90/90-21	1.85	M18	120/90-18	2.50-2.15*	M22	120/80-19	2.15-1.85*
M15	80/100-21	1.85	M14	130/80-18	2.50-2.15*	M22	100/90-19	2.15-1.85*
M16	90/100-21	1.85	M14	140/80-18	2.50-2.15*	M22	130/70-19	2.50-2.15*
			M02	140/90-18	2.50-2.15*	M199	110/90-19	2.50-2.15*

*Fitting allowed, but difficult

www.MichelinMotorcycle.com

Off-Road: Trials / Bib Mousse ■ Page 19



MICHELIN INNER TUBES

FOR ROAD, OFF-ROAD AND SCOOTER APPLICATIONS

Michelin quality and reliability

- ▶ Manufactured to the same exacting standards of quality and performance as MICHELIN® tires
- ▶ Each size is designed for specific applications, so that tube and tire are properly matched
- ▶ Heavy-duty tubes available for off-road applications

ROAD TUBES	Recommended application
15 MJ	140/90-15, 150/90-15, 170/80-15
16 MC 1466	80/80-16, 2.50-16
16 MF 1466	100/90-16, 3.25-16, 3.50-16
16 MI2 TR4	MT90-16, MU90-16, MU85-16, 120/90-16, 130/90-16, 140/90-16, 150/80-16, 160/80-16
16 MI 2171	MT90-16, MU90-16, MU85-16, 120/90-16, 130/90-16, 140/90-16, 150/80-16, 160/80-16
16 MF TR4	3.25-16, 3.50-16, 100/80-16, 100/90-16, 90/90-16
17 MI TR4	150/70-17, 160/70-17, 140/80-17, 130/90-17
17 MH TR4	130/70-17, 140/70-17, 130/80-17, 120/90-17
17 MG TR4	120/60-17, 110/70-17, 120/70-17, 110/80-17, 110/90-17, 4.00-17, 4.60-17, 120/80-17
18 MF TR4	3.25-18, 3.50-18, 110/80-18, 120/80-18, 100/90-18, 110/90-18
18 MG TR4	130/70-18, 110/80-18, 120/80-18, 130/80-18, 140/80-18, 100/90-18, 110/90-18, 120/90-18, 3.25-18, 3.50-18, 4.00-18, 4.10-18, 4.50-18
19 MF 1466	3.25-19, 110/80-19, 100/90-19, 100/90-19
19 MF TR4	3.25-19, 110/80-19, 100/90-19, 110/90-19, 120/60-19, 90/100-19
21 MD TR4	2.50-21, 2.75-21, 3.00-21, MH90-21, 80/90-21, 90/90-21, 80/100-21, 90/100-21
SCOOTER TUBES	Recommended application
8 B3 1202	3.50-8
10 B4 1202	3.00-10, 3.50-10, 90/90-10
12 B1 741	120/70-12, 130/70-12

OFF-ROAD TUBES	Recommended application
10 MBR TR4	2.50-10, 2.75-10
12 MCR TR4	2.50-12, 80/100-12
14 MBR TR4	60/100-14, 90/100-14
14 RSTOP REINF. ST30F	90/100-14 (*H.D. MX/ENDURO)
16 RSTOP REINF. ST30F	90/100-16 (*H.D. MX/ENDURO)
17 MHR TR4	140/80-17
17 RSTOP REINF. ST30F	70/100-17 (*H.D. MX/ENDURO)
18 SPECIAL TRIAL TR4	4.00-18
18 UHD LAR	140/80-18
18 UHD MEDIUM TR4	100/100-18, 110/100-18, 120/90-18, 130/80-18
18 MFR TR4	100/100-18, 110/100-18, 120/90-18, 130/80-18, 120/90-18
19 MER TR4	120/80-19, 100/90-19
19 MFR TR4	130/70-19, 110/90-19
19 UHD TR4	100/90-19, 110/90-19, 120/80-19, 130/70-19
19 RSTOP REINF. ST30F	70/100-19 (*H.D. MX/ENDURO)
21 MDR TR4	80/90-21, 80/100-21, 90/90-21, 90/100-21, 2.50-21, 2.75-21, 3.00-21
21 UHD TR4	90/90-21, 80/100-21
21 SPECIAL TRIAL TR4	2.75-21



MICHELIN STARCROSS MINI MS2 & MH3

MINI MOTOCROSS

Excellent durability

- ▶ Highly resistant to chunking and tearing
- ▶ Reversible knob patterns extend tire life

Choice of knob patterns

- ▶ MS2 knob pattern for soft to intermediate tracks
- ▶ MH3 knob pattern for intermediate to hard tracks

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹	Tread depth ²	Preferred rim width (compatible rims)						
			Static mm	In Use in	Static mm	In Use in				kg	lbs	mm 32nds	in		
STARCROSS® MINI MS2 FRONT/REAR															
2.50-10		10MBR	68	2.68	80	3.15	389	15.31	405	15.94	128	282	10	13	1.75
2.75-10		10MBR	72	2.83	90	3.54	399	15.71	411	16.18	128	282	11	14	1.85
STARCROSS® MINI MS2 FRONT															
2.50-12		12MCR	68	2.68	85	3.35	440	17.32	449	17.68	106	234	11	14	1.75
60/100-14		14MBR	60	2.36	65	2.56	476	18.74	490	19.29	106	234	11	14	1.40 (1.50 to 1.85)
70/100-17		17RSTOP	69	2.72	76	2.99	572	22.52	588	23.15	140	309	11	14	1.60 (1.40 to 1.85)
70/100-19		19RSTOP	69	2.72	76	2.99	623	24.53	639	25.16	150	331	11	14	1.60 (1.40 to 1.85)
STARCROSS® MINI MS2 REAR															
80/100-12		12MCR	80	3.15	86	3.39	465	18.31	477	18.78	145	320	14	18	1.85 (1.40 to 1.60)
90/100-14		14MBR or 14RSTOP	90	3.54	99	3.90	536	21.10	558	21.97	185	408	14	18	2.15 (1.85 to 2.50)
90/100-16		16RSTOP	90	3.54	99	3.90	586	23.07	600	23.62	195	430	14	18	2.15 (1.85 to 2.50)
STARCROSS® MINI MH3 FRONT/REAR															
2.75-10		10MBR	72	2.83	90	3.54	399	15.71	411	16.18	128	282	11	14	1.85
STARCROSS® MINI MH3 FRONT															
2.50-12		12MCR	68	2.68	85	3.35	440	17.32	449	17.68	106	234	11	14	1.75
60/100-14		14MBR	60	2.36	65	2.56	476	18.74	490	19.29	106	234	11	14	1.40 (1.50 to 1.85)
70/100-17		17RSTOP	69	2.72	76	2.99	572	22.52	588	23.15	140	309	11	14	1.60 (1.40 to 1.85)
70/100-19		19RSTOP	69	2.72	76	2.99	623	24.53	639	25.16	150	331	11	14	1.60 (1.40 to 1.85)
STARCROSS® MINI MH3 REAR															
80/100-12		12MCR	80	3.15	86	3.39	465	18.31	477	18.78	145	320	14	18	1.85 (1.40 to 1.60)
90/100-14		14MBR or 14RSTOP	90	3.54	99	3.90	536	21.10	558	21.97	185	408	14	18	2.15 (1.85 to 2.50)
90/100-16		16RSTOP	90	3.54	99	3.90	586	23.07	600	23.62	195	430	14	18	2.15 (1.85 to 2.50)

STARCROSS MS2 MINI

STARCROSS MH3 MINI



MICHELIN SCOOTER TIRES

RECOMMENDED APPLICATIONS

	Sport	Touring	Urban	All-Terrain	Utility
Premium	Power Pure™ SC 50-650cc				
		City Grip™ 50-500cc			
	Pilot® Sport SC Radial 400-650cc				
Standard	Bopper® 50-150cc				
			S1™ 50-200cc		
				Reggae™ 50-200cc	
					S83™ 50-200cc

www.MichelinMotorcycle.com

Scooter ■ Page 21

SCOOTER

NEW MICHELIN POWER PURE SC

SPORTY TIRE FOR MIDSIZE SCOOTERS

The world's first dual-compound scooter tire



Longer tread life

- ▶ Center tread compound formulated for durability.
- ▶ Smooth area in the center of the contact patch resists wear.

More grip


- ▶ Shoulder tread compound formulated for adhesion in wet or dry conditions.
- ▶ Tread design inspired by racing rain tires.

More fun to ride


- ▶ Optimized tread design helps maintain consistent profile over the life of the tire.



FRONT TIRE



REAR TIRE



Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
POWER PURE™ SC FRONT															
110/90-12	64 P	TL	109	4.29	118	4.65	503	19.80	517	20.35	280	617	6	7	2.50 (2.15 to 3.00)
120/70-12	51 P	TL	122	5.08	132	5.47	473	19.17	485	19.65	195	430	6	7	3.50 (3.00 to 4.00)
110/90-13	56 P	TL	109	4.29	120	4.72	528	19.13	542	19.53	224	494	6	7	2.50 (2.15 to 3.00)
120/70-13	53 P	TL	122	4.80	134	5.28	498	19.61	510	20.08	206	454	6	7	3.50
120/70-14	55 P	TL	122	4.80	134	5.28	524	20.63	536	21.10	218	481	6	7	3.50 (3.00 to 4.00)
120/70-14	55 S	TL	122	4.80	134	5.28	524	20.63	536	21.10	218	481	6	7	3.50 (3.00 to 4.00)
120/80-14	58 S	TL	119	4.69	131	5.16	548	21.57	562	22.13	236	520	6	7	2.75
120/70-15	56 P	TL	122	4.80	134	5.28	549	21.61	561	22.09	224	494	6	7	3.50
POWER PURE™ SC REAR															
130/70-12	56 P	TL	129	5.08	139	5.47	487	19.17	499	19.65	224	494	7	9	3.50 (3.00 to 4.00)
130/70-12 Reinf.	62 P	TL	129	5.08	139	5.47	487	19.17	499	19.65	265	584	7	9	3.50 (3.00 to 4.00)
140/70-12	60 P	TL	139	5.47	150	5.91	501	19.72	515	20.28	250	551	7	8	4.00 (3.50 to 4.50)
130/60-13	53 P	TL	129	5.08	142	5.59	486	19.13	496	19.53	206	454	6	8	3.50 (3.00 to 4.00)
130/60-13 Reinf.	60 P	TL	129	5.08	142	5.59	486	19.13	496	19.53	206	454	6	8	3.50 (3.00 to 4.00)
130/70-13 Reinf.	63 P	TL	129	5.08	142	5.59	512	20.15	524	20.63	272	600	7	8	3.50 (3.00 to 4.00)
140/60-13	57 L	TL	139	5.47	153	6.02	498	19.61	510	20.08	230	507	6	8	3.75 (3.00 to 4.00)
140/60-13	57 P	TL	139	5.47	153	6.02	498	19.61	510	20.08	230	507	6	8	3.75 (3.00 to 4.00)
150/70-13	64 S	TL	151	5.94	166	6.54	540	21.26	554	21.81	280	617	6	8	4.25 (4.00 to 4.50)
150/70-14	66 S	TL	151	5.94	166	6.54	566	22.28	580	22.83	300	662	7	8	4.25 (4.00 to 4.50)
130/80-15	63 P	TL	129	5.08	142	5.59	589	23.19	603	23.74	272	600	7	8	3.00

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

Precise control. Every day.



Precise control in all weather conditions

- ▶ Progressive Sipe Technology: tread design gradually increases the number of sipes in contact with the road as you lean into corners, for excellent traction on wet pavement
- ▶ For medium- to large-displacement scooters

Excellent mileage

- ▶ Progressive tread pattern extends mileage performance

Reliable and reassuring handling and comfort

- ▶ Newly formulated rubber compounds, combined with proven construction



Size	Load index & Speed rating	Michelin Tube	Overall width				Overall diameter				Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in	
			Static mm	In Use in	mm	in	Static mm	In Use in	mm	in	kg	lbs	mm	32nds		
CITY GRIP™ FRONT																
110/90-12	64 P	TL	109	4.29	118	4.65	503	19.80	517	20.35	280	617	5	6	2.50 (2.15 to 3.00)	
120/70-12	51 P	TL	122	5.08	132	5.47	473	19.17	485	19.65	195	430	6	7	3.50 (3.00 to 4.00)	
120/70-12	51 S	TL	122	5.08	132	5.47	473	19.17	485	19.65	195	430	6	7	3.50 (3.00 to 4.00)	
110/90-13	56 P	TL	109	4.29	120	4.72	528	20.79	542	21.34	224	494	5	6	2.50 (2.15 to 3.00)	
90/90-14	46 P	TL	90	3.54	99	3.90	518	20.39	530	20.87	170	375	5	6	1.85	
120/70-14	55 P	TL	122	4.80	134	5.28	524	20.63	536	21.10	218	481	5	6	3.50 (3.00 to 4.00)	
120/70-14	55 S	TL	122	4.80	134	5.28	524	20.63	536	21.10	218	481	5	6	3.50 (3.00 to 4.00)	
120/70-15	56 P	TL	122	4.80	134	5.28	549	21.61	561	22.09	224	494	4	5	3.50 (3.00 to 4.00)	
120/70-15	56 S	TL	122	4.80	134	5.28	549	21.61	561	22.09	224	494	4	5	3.50 (3.00 to 4.00)	
110/70-16	52 P	TL	110	4.33	121	4.76	560	22.05	570	22.44	200	441	4	5	3.00	
110/70-16	52 S	TL	110	4.33	121	4.76	560	22.05	570	22.44	200	441	4	5	3.00	
110/80-16	55 S	TL	109	4.29	120	4.72	582	22.91	594	23.39	218	481	5	6	2.50	
CITY GRIP™ REAR																
120/70-10	54 L	TL	122	4.80	132	5.20	422	16.61	434	17.09	212	467	5	6	3.50 (2.75 to 3.75)	
130/70-12	56 P	TL	129	5.08	139	5.47	487	19.17	499	19.65	224	494	6	7	3.50 (3.00 to 4.00)	
130/70-12 Reinf. 62 P		TL	129	5.08	139	5.47	487	19.17	499	19.65	265	584	6	7	3.50 (3.00 to 4.00)	
130/70-13 Reinf. 63 P		TL	129	5.08	142	5.59	512	20.16	524	20.63	272	600	6	7	3.50 (3.00 to 4.00)	
140/60-13 Reinf. 63 P		TL	139	5.47	153	6.02	498	19.61	510	20.08	272	600	6	7	3.75 (3.00 to 4.00)	
100/90-14	57 P	TL	101	3.98	111	4.37	536	21.10	548	21.57	230	507	6	7	2.15	
140/60-14 Reinf. 64 P		TL	139	5.47	153	6.02	524	20.63	536	21.10	280	617	6	8	3.75 (3.00 to 4.00)	
140/60-14 Reinf. 64 S		TL	139	5.47	153	6.02	524	20.63	536	21.10	280	617	6	8	3.75 (3.00 to 4.00)	
140/70-14 Reinf. 68 S		TL	139	5.47	153	6.02	552	21.73	566	22.28	315	695	6	8	3.75 (3.00 to 4.00)	
150/70-14	66 P	TL	151	5.94	166	6.54	566	22.28	580	22.83	300	662	6	7	4.25 (4.00 to 4.50)	
150/70-14	66 S	TL	151	5.94	166	6.54	566	22.28	580	22.83	300	662	6	7	4.25 (4.00 to 4.50)	
130/70-16	61 P	TL	129	5.08	142	5.59	588	23.15	600	23.62	257	567	6	7	3.50 (3.00 to 4.00)	
140/70-16	65 P	TL	139	5.47	153	6.02	602	23.70	616	24.25	290	639	6	7	3.75 (3.00 to 4.00)	
140/70-16	65 S	TL	139	5.47	153	6.02	602	23.70	616	24.25	290	639	6	7	3.75 (3.00 to 4.00)	

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.

MICHELIN PILOT SPORT SC RADIAL

TOURING SCOOTERS

- ▶ Ideal for large-displacement scooters
- ▶ Radial construction minimizes carcass deformation at high speeds, providing uniform wear, a comfortable ride and exceptional grip
- ▶ Performance-oriented casing profile and tread design

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter			Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in			
			Static mm	In Use in	Static mm	In Use mm	In Use in	kg	lbs	mm	32nds				
PILOT[®] SPORT SC RADIAL FRONT															
120/70R14	55 H	TL	122	4.80	131	5.16	524	20.63	536	21.10	218	481	4	5	3.50
120/70R15	56 H	TL	122	4.80	131	5.16	549	21.61	561	22.09	224	494	4	4	3.50
120/70R16	57 H	TL	125	4.92	134	5.28	574	22.60	586	23.07	230	507	4	4	3.75
PILOT[®] SPORT SC RADIAL REAR															
160/60R14	65 H	TL	161	6.34	172	6.77	548	21.57	562	22.13	290	639	7	8	4.50
160/60R15	67 H	TL	161	6.34	172	6.77	573	22.56	587	23.11	307	677	7	9	4.50

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.



MICHELIN BOPPER

50-150cc SPORT SCOOTERS

Inspires riding confidence

- ▶ Excellent feedback and control

Hold the road

- ▶ Exceptional adhesion in corners thanks to semi-slick tread pattern

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter			Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in			
			Static mm	In Use in	Static mm	In Use mm	In Use in	kg	lbs	mm	32nds				
BOPPER[®] FRONT/REAR															
120/90-10	57 L	None avail. or TL	119	4.69	129	5.08	470	18.50	486	19.13	230	507	5	7	2.75 (2.50 to 3.50)
130/90-10	61 L	None avail. or TL	129	5.08	139	5.47	488	19.21	504	19.84	257	567	5	7	3.00 (2.75 to 3.50)
120/70-12	51 L	TL or 12B1	122	5.08	132	5.47	473	19.17	485	19.65	195	430	5	7	3.50 (2.75 to 3.75)
130/70-12	56 L	TL or 12B1	129	5.08	139	5.47	487	19.17	499	19.65	224	494	5	7	3.50 (3.00 to 4.00)



MICHELIN S1

50-200cc URBAN SCOOTERS

Great handling and grip for 50-200cc urban scooters

- ▶ Directional tread, with central tread groove for water evacuation and control
- ▶ Large tread blocks for long wear life

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter			Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in			
			Static mm	In Use in	Static mm	In Use mm	In Use in	kg	lbs	mm	32nds				
S1[™] FRONT/REAR															
3.00-10	42 J	TL or 10B4	80	3.15	86	3.39	413	16.26	422	16.61	150	331	5	6	2.10 (1.85 to 2.50)
90/90-10	50 J	TL or 10B4	90	3.54	97	3.82	416	16.38	428	16.85	190	419	5	6	2.15 (2.50)
3.50-10	51 J	TL or 10B4	92	3.62	99	3.90	437	17.20	448	17.64	195	430	5	6	2.50 (2.10 to 2.15)
100/80-10	53 J	None avail. or TL	101	3.98	109	4.29	414	16.30	426	16.77	206	454	4	5	2.50 (2.15 to 2.75)
100/90-10	56 J	None avail. or TL	101	3.98	109	4.29	434	17.09	446	17.56	224	494	5	6	2.50 (2.15 to 3.00)
110/80-10	58 J	None avail. or TL	109	4.29	118	4.65	430	16.93	442	17.40	236	520	4	5	2.50 (2.75 to 3.50)
130/70-10	62 J	None avail. or TL	129	5.08	139	5.47	436	17.17	448	17.64	265	584	5	6	3.50 (3.00 to 4.00)

¹Refer to the motorcycle owner's manual for the vehicle's load capacity. Michelin recommends the tire pressures quoted by the vehicle manufacturer.

²Tread depth measurements rounded to nearest whole number.





MICHELIN S83

50-200cc UTILITY SCOOTERS

Perfect for classic scooters

- ▶ Retro style meets modern construction, in traditional sizes (8 and 10 inches)

Excellent grip on slippery urban streets

- ▶ Thanks to Michelin rubber compound and generously siped tread pattern

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
S83™ FRONT/REAR															
3.50-8	46 J	883	92	3.62	99	3.90	437	17.20	448	17.64	170	375	5	6	2.50 (2.15)
3.00-10	42 J	TL or 10B4	80	3.15	86	3.39	413	16.26	422	16.61	150	331	5	6	2.15 (1.85 to 2.50)
3.50-10	51 J	TL or 10B4	92	3.62	99	3.90	437	17.20	448	17.64	195	430	5	6	2.50 (2.15)
3.50-10 Reinf.	59 J	TL or 10B4	92	3.62	99	3.90	437	17.20	448	17.64	243	536	5	6	2.50 (2.15)
100/90-10	56 J	None avail. or TL	101	3.98	109	4.29	434	17.09	444	17.48	224	494	5	7	2.50 (2.15 to 3.00)



MICHELIN REGGAE

ALL-TERRAIN SCOOTERS

A true all-season tire for on- and off-road

- ▶ Aggressive tread blocks provide off-road traction
- ▶ Features an all-weather tread compound

For scooters on the move

- ▶ Unique knobby-style tread pattern provides excellent grip
- ▶ Highly capable on loose surfaces

Size	Load index & Speed rating	Michelin Tube	Overall width		Overall diameter		Max load ¹		Tread depth ²		Preferred rim width (compatible rims) in				
			Static mm	In Use in	Static mm	In Use in	kg	lbs	mm	32nds					
REGGAE™ FRONT/REAR															
120/90-10	57 J	TL	119	4.69	129	5.08	470	18.50	486	19.13	230	507	6	7	2.75 (2.50 to 3.50)
130/90-10	61 J	TL	129	5.08	139	5.47	488	19.21	504	19.84	257	567	6	7	3.00 (2.75 to 3.50)

www.MichelinMotorcycle.com



SCOOTER

Scooter ■ Page 25

2012 MICHELIN MOTORCYCLE FITMENT GUIDE

Michelin recommends its motorcycle and scooter tires for the models shown on pages 26 through 49. While every attempt has been made to make this list comprehensive, some makes and models have been omitted. In most cases this is because Michelin does not offer any appropriate tires for a particular motorcycle, or the manufacturer did not offer the motorcycle for sale in North America. If MICHELIN® tires are available in replacement sizes for a motorcycle that is not listed in this guide, consult a Michelin Motorcycle Tire Dealer to confirm compatibility with your specific application.

By using this fitment guide, you acknowledge and accept that Michelin North America, Inc. is not responsible for any error or omission, nor for any damage or injury resulting from the choice of a recommended tire. You also acknowledge that it is your responsibility to

ensure that the recommended tires are compatible with the technical characteristics of the motorcycle on which they are mounted, including the motorcycle manufacturer's recommendations. Moreover, you fully release Michelin North America, Inc. from any liability whatsoever in relation to, or as a consequence of, possible damages resulting from the fitting of tires not recommended in this guide.

Michelin recommends the tire pressure specified by the motorcycle manufacturer, except where otherwise stated.

IMPORTANT: When tires with speed ratings lower than those supplied to the customer as original equipment are fitted, the speed capability of the vehicle is limited to the maximum speed rating of the replacement tires.

APRILIA	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
RS 125	1993–2012	110/70 ZR 17 TL	150/60 ZR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		3 4
RS 250	1995–1996	110/70 ZR 17 TL	150/60 ZR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		3 4
RS 250 Replica	1997–2002	120/60 ZR 17 TL	150/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		3.5 4.5
SVX 450	2006–2008	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT	17MF / 17MI3 17MF / 17MI3	3.5 5.5
Pegaso 650	1994–2008	100/90 H 19	130/80 H 17	100/90-19 57H Anakee 2	130/80 R 17 65H Anakee 2	19MF / 17MI	2.15 3
Dorsoduro 750	2008–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 6
Dorsoduro 1200	2011–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
SL Shiver 750	2007–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 6
Mana 850	2007–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power		3.5 5.5
ETV 1000 Caponord	2001–2008	110/80 R 19 59 V TL/TT	150/70 R 17 69V TL/TT	110/80 R 19 59V Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		
RST Futura	2001–2004	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power		
RSV 1000 (all types)	1999–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
		120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		
		120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
RSV4 Factory APRC SE	2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
		120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		
RSV4 R & Factory & APRC	2010–2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
		120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		
RSV Mille SP	2000–2001	120/65 ZR 17 TL 120/70 ZR 17 TL	180/55 ZR 17 TL 180/55 ZR 17 TL	120/65 ZR 17 (56W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
SL 1000 Falco	2000–2004	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 6
Tuono 1000 R and Factory	2003–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 6

APRILIA (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
Tuono 1000 R and Factory (cont.)	2003–2012	120/70 ZR 17 (58W) TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One 190/55 ZR 17 TL 120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One 190/55 ZR 17 (75W) Pilot Road 2 190/55 ZR 17 (75W) Pilot Road 3 190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
Tuono V4 R & V4 R APRC	2011–2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		
BENELLI							
TnT 899 Century Racer	2011	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
TNT, Tre & Cafe Racer	2006–2011	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One	3.5	6
Tornado & 899 TnT & cafe racer	2002–2010	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One	3.5	6
TnT 1130 Century Racer	2011	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		
Tornado Tre 1130	2007–2011	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One	3.5	6
TRE-K	2006–2011	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One	3.5	6
TRE-K Amazonas	2008–2011	110/80-19 59V	150/70-17 69V	110/80 R 19 59V Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		
BIMOTA							
500 V Due	1997–2001	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One	3.5	5.5
900 Mantra	1995–2000	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One	3.5	5.5
DB 4	2000–2001	120/65 ZR 17 TL 120/70 ZR 17 TL	180/55 ZR 17 TL 180/55 ZR 17 TL	120/65 ZR 17 (56W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One 120/65 ZR 17 (56W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One	3.5	5.5
DB 6 Delirio	2007–2010	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One	3.5	5.5
DB2, SR	1993–1996	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One	3.5	5.5
DB5 mile, DB5 S	2005–2011	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One	3.5	5.5
DB6R Delirio	2008–2011	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One	3.5	5.5
DB7	2008–2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One	3.5	5.5
SB 6 R	1997–2000	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One	3.5	5.5

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

BIMOTA (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
SB 8 K all models	1998–2007	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
SB 8 R	1997–2004	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
Supermono & Biposto	1995–1998	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		3.5 5
				120/60 ZR 17 (55W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Power Pure		
Tesi 2D	2005–2007	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
Tesi 3D	2008–2011	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
YB 11	1997–2001	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
YB 6 E.I, Tuatara	1989–1990	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
YB 8, Furano	1990–1994	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
YB 9	1990–1996	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		3.5 4.5
				120/60 ZR 17 (55W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Power Pure		
YB 9 SRI	1996–1998	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
BMW							
R 60/5 & R 60/6 & R60/7	1975–1978	3.25 S 19	4.00 S 18	3.25-19 54H Pilot Activ	4.00-18 64H Pilot Activ	19MF / 18MG	1.85 2.5
F 650 CS	2002–2005	110/70 ZR 17 TL	160/60 ZR 17 TL	110/70 ZR 17 (54W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5 4.5
				110/70 ZR 17 (54W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				110/70 ZR 17 (54W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
F 650 GS	1994–2007	100/90-19 57H TL/TT	130/80 R 17 65H TL/TT	100/90-19 57H Anakee 2	130/80 R 17 65H Anakee 2	19MF / 17 MI	2.15 3
F 650 GS	2009–2012	110/80 R 19 59 V TL/TT	140/80 R 17	110/80 R 19 59V Anakee 2	140/80 R 17 69H Anakee 2		
F 650 GS Dakar	2000–2005	90/90-21 54T TT	130/80-17 65T TT	90/90-21 54V Anakee 2	130/80 R 17 65H Anakee 2	21MD / 17 MI	2.15 3
F 650 ST "Strada"	1997–2002	100/90 H 18 TL	130/80 H 17 TL	100/90-18 56H Pilot Activ	130/80-17 65H Pilot Activ		2.15 3
G 650 Xcountry and GS	2007–2010	100/90-19 57S TT	130/80-17 65S TT	100/90-19 57H Anakee 2	130/80 R 17 65S Anakee 2	19MF / 17 MI	2.15 3
G 650 GS	2011–2012	110/80 R19 59V	140/80 R17 69V	110/80 R 19 59V Anakee 2	140/80 R 17 69H Anakee 2		
G 650 Xmoto	2007–2009	120/70 R 17 58 H TL	160/60 R 17 69H TL	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5 4.5
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	160/60 ZR 17 (69W) Power Pure		
				120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Power One		
R 65	1978–1989	90/90 H 18 TL	120/90 H 18 TL	90/90-18 51H Pilot Activ	120/90-18 65H Pilot Activ	18MF / 18MG	2.5
R 65 LS	1983–1986	3.25 S 18	4.00 S 18	90/90-18 51H Pilot Activ	4.00-18 64H Pilot Activ	18MF / 18MG	1.85 2.5
K 75 RT	1991–1997	100/90 V 18 TL	130/90 V 17 TL	100/90-18 56V Pilot Activ	130/90-17 68V Pilot Activ		2.5 2.75
K 75 S	1987–1991	100/90 V 18 TL	130/90 V 17 TL	100/90-18 56V Pilot Activ	130/90-17 68V Pilot Activ		2.5 2.75
R 75/5, R 75/6, R75/7	1975–1977	3.25 S 19	4.00 S 18	3.25-19 54H Pilot Activ	4.00-18 64H Pilot Activ	19MF / 18MG	1.85 2.5
R 80	1986–1994	90/90 H 18 TL	120/90 H 18 TL	90/90-18 51H Pilot Activ	120/90-18 65H Pilot Activ		2.5 2.5
R 80 GS	1990–1994	90/90-21 TL	130/80-17 TL	90/90-21 54V Anakee 2	130/80 R 17 65H Anakee 2		1.85 2.5
R 80 R	1994	110/80 V 18 TL	140/80 V 17 TL	110/80-18 58V Pilot Activ	140/80-17 69V Pilot Activ		2.5 2.5
R 80 RT	1988–2000	90/90-18	120/90-18	90/90-18 51H Pilot Activ	120/90-18 65H Pilot Activ		2.5 2.5
R 80/7	1978–1981	3.25 H 19	4.00 H 18	3.25-19 54H Pilot Activ	4.00-18 64H Pilot Activ	19MF / 18MG	1.85 2.5
F 800 GS	2008–2012	90/90-21 54V	150/70 R 17 69V TL/TT	90/90-21 54V Anakee 2	150/70 R 17 69V Anakee 2		4
F 800 R	2011–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		3.5 5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/60 ZR 17 (55W) Pilot Power E	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
F 800 S	2006–2009	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		3.5 5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
F 800 ST	2006–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
R 850 GS	1999–2002	110/80 H 19 TL	150/70 H 17 TL	110/80 R 19 59H Anakee 2	150/70 R 17 69H Anakee 2		
R 850 R & RT	1995–2006	120/70 ZR 17 TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 18 (70W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 3		

BMW (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
R 850 RT	2000–2006	120/70 ZR 17 (58W) TL	170/60 ZR 17 (72W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3		3.5 5
R 850 RT "Administration"	1997–1998	110/80 ZR 18 TL	150/70 ZR 17 TL	110/80 ZR 18 (58W) Pilot Road 2 110/80 ZR 18 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		2.5 4
R 90/6, R 90 S	1975–1976	3.25 H 19	4.00 H 18	3.25-19 54H Pilot Activ	4.00-18 64H Pilot Activ	19MF / 18MG	1.85 2.5
K 1	1989–1993	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure		3.5 4.5
K 100 RS RT	1985–1992	100/90 V 18 TL	130/90 V 17 TL	100/90-18 56V Pilot Activ	130/90-17 68V Pilot Activ		2.5 2.75
K 100 RS	1990–1993	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3		3.5 4.5
R 100 GS, Paris-Dakar, Classic	1987–1995	90/90-21	130/80-17	90/90-21 54V Anakee 2	130/80 R 17 65H Anakee 2		1.85 2.5
R 100 R, Classic, Special Edition	1992–1995	110/80 V 18 TL	140/80 V 17 TL	110/80-18 58V Pilot Activ	140/80-17 69V Pilot Activ		2.5 2.5
R 100, CS, RS, RT, S	1977–1984	3.25 H 19	4.00 H 18	3.25-19 54H Pilot Activ	4.00-18 64H Pilot Activ		2.15 2.75
R 100, RT Classic, Touring	1989–1995	90/90 H 18 TL	120/90 H 18 TL	90/90-18 51H Pilot Activ	120/90-18 65H Pilot Activ		2.5 2.5
S 1000 RR	2010–2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		3.5 6
K 1100 LT, Touring	1992–1998	110/80 VR 18 TL	140/80 VR 17 TL	110/80-18 58V Pilot Activ	140/80-17 69V Pilot Activ		2.5 3
K 1100 RS	1993–1998	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3		3.5 4.5
R 1100 GS	1994–1999	110/80 R 19 59H TL	150/70 R 17 69H TL	110/80 R 19 59H Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69H Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		3.5 4.5
R 1100 R, RS, RT	1993–2001	120/70 ZR 17 TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3		3.5 4.5
R 1100 RT "Administration"	1997–1998	110/80 ZR 18 TL	150/70 ZR 17 TL	110/80 ZR 18 (58W) Pilot Road 2 110/80 ZR 18 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		2.5 4
R 1100 S	1998–2005	120/70 ZR 17 (58W) TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (72W) Pilot Power 2CT 170/60 ZR 17 (72W) Power Pure 170/60 ZR 17 (72W) Power One		3.5 5
			180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
R 1150 GS	2000–2004	110/80 R 19 59H TL	150/70 R 17 69H TL	110/80 R 19 59H Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69H Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		3.5 5
R 1150 R & RS	2001–2006	120/70 ZR 17 (58W) TL	170/60 ZR 17 (72W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3		3.5 5
R 1150 R Fun/Rockster	2003–2006	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
R 1150 RT	2001–2005	120/70 ZR 17 (58W) TL	170/60 ZR 17 (72W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3		3.5 5
HP2 Enduro	2006–2009	90/90-21 54Q TL	140/80-17 69Q TL	90/90-21 54V Anakee 2	140/80 R 17 69H Anakee 2		1.85 2.5
HP2 Megamoto	2008–2009	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
HP2 Sport	2008–2011	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		3.5 6
K 1200 GT	2003–2009	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
K 1200 R	2005–2011	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
K 1200 RS	1997–2002	120/70 ZR 17 (58W) TL	170/60 ZR 17 (72W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3		3.5 5
K 1200 RS	2003–2005	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
K 1200 S	2005–2008	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		3.5 5.5
R 1200 GS	2004–2012	110/80 R 19 59 V TL/TT	150/70 R 17 69V TL/TT	110/80 R 19 59V Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		3.5 4.5
R 1200 GS Adventure	2008–2012	110/80 R 19 59 V TL/TT	150/70 R 17 69V TL/TT	110/80 R 19 59V Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		3.5 4.5
R 1200 GS HP2	2006	120/70 ZR 17 (58W) TL	150/70 ZR 17 (69W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		3.5 4.5
R 1200 R	2007–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
R 1200 RT	2005–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

BMW (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
R 1200 S	2006–2009	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/50 ZR 17 (73W) Power One		3.5 5.5
R 1200 ST	2005–2007	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
K 1300 GT	2010–2011	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		
K 1300 R	2009	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Pilot Road 2 D	190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Pilot Road 2		
K 1300 R	2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
K 1300 S	2009–2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Power Pure	190/55 ZR 17 (75W) Power Pure		3.5 6
BRAMMO							
Empulse (all models)	2011–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
BUELL							
XB9R Firebolt	2002–2004	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5
XB9S Lightning & City X	2003–2010	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5
M2 Cyclone	2000–2002	120/60 ZR 17 TL	170/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5
M2, S1, S3	1997–2001	120/70 ZR 17 TL	170/60 ZR 17 TL 180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
X1 Lightning	1997–2002	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3		3.5 5
1125 R & 1125 CR	2008–2010	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
XB 12R Firebolt	2004–2010	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
XB 12S & STT Lightning	2004–2010	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
XB12X Ulysses	2006–2010	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure		3.5 5.5
XB12XT Ulysses	2006–2010	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure		3.5 5.5
ERIC BUELL RACING							
1190RS	2012	120/60 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/50 ZR 17 (73W) Power One		
CAGIVA							
Mito 125	1990–1992	100/80 VR 17 TL	140/70 VR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		2.75 4
Mito 125	1993–2008	110/70 ZR 17 TL	150/60 ZR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		2.75 4
Canyon 500 & 600	1998–2002	100/90-19 57H TT	140/80 R 17 69 H TT	100/90-19 57H Anakee 2	140/80 R 17 69H Anakee 2	19MF / 17 MI	2.15 3.5
River 500 & 600	1995–2000	110/80 - 17 TL	140/70-17 TL	110/80-17 57H Pilot Activ	140/70-17 66H Pilot Activ		2.75 4

CAGIVA (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
Raptor 650	2001–2008	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
750 Elephant	1988–1992	90/90-21	130/80 R 17	90/90-21 54V Anakee 2	130/80 R 17 65H Anakee 2	21MD / 17 MI	2.15 2.75
750 Elephant	1994–1995	100/90 H 19 TL	140/80 H 17 TT	100/90-19 57H Anakee 2	140/80 R 17 69H Anakee 2	19MF / 17 MI	
900 Elephant ie & e	1992–1996	100/90 H 19	140/80 R 17	100/90-19 57H Anakee 2	140/80 R 17 69H Anakee 2	19MF / 17 MI	2.15 3
Gran Canyon 900	1998–1999	100/90-19	150/70-17	100/90-19 57H Anakee 2	150/70 R 17 69H Anakee 2	19MF / 17 MI	2.15 4.25
Gran Canyon 900	1998–1999	100/90-19	150/70-17	100/90-19 57H Anakee 2	150/70 R 17 69H Anakee 2	19MF / 17 MI	2.15 4.25
Raptor 1000	2001–2006	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 4.5
DUCATI							
Monster 600 & 620 ie	1994–2005	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
600 SuperSport	1994–1996	120/60 VR 17 TL	160/60 VR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure		3.5 4.5
620 SS Sport	2003–2004	120/70 ZR 17 TL	120/70 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
Multistrada 620	2005–2006	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power		3.5 4.5
Monster 695 & 696	2006–2012	120/60 ZR 17 (55W) TL	160/60 ZR 17 (69W) TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
748 (all types)	1995–2002	120/60 ZR 17 TL	180/55 ZR 17 TL	120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
749 (all types)	2003–2007	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Monster 750	1996–2002	120/70 ZR 17 (58W) TL	160/60 ZR 17 (69W) TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
750 SuperSport	1999–2002	120/70 ZR 17 TL	160/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
Hypermotard 796	2010–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
Monster 796	2010–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
800 SuperSport & Sport	2003–2004	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (72W) Pilot Power 2CT 170/60 ZR 17 (72W) Power Pure 170/60 ZR 17 (72W) Power One		
Monster 800 ie & S2R	2003–2008	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Superbike 848, Evo & Evo Corse SE	2008–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
851 Super Bike	1990–1993	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

DUCATI (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
888, (all types)	1992–1995	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
Monster 900 ie	1993–2002	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (69W) Power One		3.5 5.5
900 SuperSport	1992–2002	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5.5
MH900e	2001	120/65 ZR 17 TL	170/60 ZR 17 TL	120/65 ZR 17 (56W) Pilot Power	170/60 ZR 17 (72W) Pilot Power		
Monster 916 S4	2001–2003	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
ST 4 916	1999–2003	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power		3.5 5.5
916	1994–1998	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
ST 2 944	1998–2003	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5.5
ST 3	2003–2007	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power		3.5 5.5
ST 4S 996	2001–2005	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
996	1999–2001	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		3.5 5.5
998, S, R	2002–2003	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		3.5 5.5
Multistrada 1000 DS	2003–2006	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power		3.5 5.5
Monster 1000 S2R & S4R & S4 RS	2003–2008	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Monster 1000, 1000S, S4R	2003–2008	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
1000 SS SuperSport	2003–2006	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
1098, S, R	2007–2009	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		3.5 6 3.5 6
Streetfighter, Streetfighter S	2010–2012	120/70 ZR 17	190/55 ZR 17	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
Hypermotard 1100S, Evo, Evo SP	2007–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Monster 1100 & S & Evo	2009–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Multistrada 1100 & S	2007–2009	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power		3.5 5.5
Superbike 1198, S, S Corse & R Corse	2010–2011	120/70 ZR 17	190/55 ZR 17	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

HARLEY-DAVIDSON (cont.)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
FXRT 1340 Sport Glide	1992-1993	100/90 H 19	130/90 H 16	100/90B19 57H Commander II	130/90B16 73H Commander II	19MF / 16MI	2.15 3
FXSH 1340 Low Rider Custom	1989	MH90-21	MT90-16	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
FXST Softail Standard	1999-2002	MH90-21	MT90 B 16	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
FXST Softail Standard	2003-2005	MH90-21 56H	150/80-16 71H	80/90-21 54H Commander II	150/80B16 77H Commander II	21MD / 16MI	2.15 3
FXSTB Night Train	1999-2002	MH90-21 56H	MT90 B 16 74H	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
FXSTB/I Night Train	2003-2005	MH90-21 56H	150/80-16 71H	80/90-21 54H Commander II	150/80B16 77H Commander II	21MD / 16MI	2.15 3
FXSTC 1340 Softail Custom	2003-2005	MH90-21 56H	150/80-16 71H	80/90-21 54H Commander II	150/80B16 77H Commander II	21MD / 16MI	3
FXSTC 1340 Softail Custom	1995-2002	MH90-21	MT90-16	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
FXSTD Softail Deuce	2000-2007	MH90-21 56H	160/70 B 17 73V	80/90-21 54H Commander II	160/70B17 73V Commander II	21MD / 17MI	2.2 3
FXSTS Springer Softail	1995-2002	MH90-21 56H	MT90 B 16 74H	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
FXSTS/I Springer Softail	2003-2005	MH90-21 56H	150/80-16 71H	80/90-21 54H Commander II	150/80B16 77H Commander II	21MD / 16MI	2.15 3
FXWG 1340 Wide Glide	1983-1986	MH90-21	MT90-16	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
VRSCAW V-Rod & 10th Anniv. Ed.	2007-2012	120/70 ZR 19	240/40 R 18	120/70 ZR 19 60W Scorchers "11"	240/40 R 18 79V Scorchers "11"		3 8
VRSCDX Night Rod Special	2007-2012	120/70 ZR 19	240/40 R 18	120/70 ZR 19 60W Scorchers "11"	240/40 R 18 79V Scorchers "11"		3 8
VRSCF2 Screamin' Eagle V-Rod	2006	120/70 ZR 19	240/40 R 18	120/70 ZR 19 60W Scorchers "11"	240/40 R 18 79V Scorchers "11"		3 8
VRSCF V-Rod Muscle	2009-2012	120/70 ZR 19	240/40 R 18	120/70 ZR 19 60W Scorchers "11"	240/40 R 18 79V Scorchers "11"		3 8
VRSCX Screamin' Eagle V-Rod	2007	120/70 ZR 19	240/40 R 18	120/70 ZR 19 60W Scorchers "11"	240/40 R 18 79V Scorchers "11"		3 8
XL 1200 C Sportster Custom	1999-2003	MH90-21	MT90 B 16	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
XL 1200 C Sportster Custom	2004-2010	MH90-21	150/80-16 71H	80/90-21 54H Commander II	150/80B16 77H Commander II	21MD / 16MI	2.15 3
XL 1200 L Sportster Low	2004-2010	100/90-19 57H	150/80-16 71H	100/90B19 57H Commander II	150/80B16 77H Commander II	19MF / 16MI	2.5 3
XL 1200 N Nightster	2007-2012	100/90-19 57H	150/80-16 71H	100/90B19 57H Commander II	150/80B16 77H Commander II	19MF / 16MI	2.5 3
XL 1200 R Sportster Roadster	2004-2008	100/90-19 57H	150/80-16 71H	100/90B19 57H Commander II	150/80B16 77H Commander II	19MF / 16MI	2.5 3
XL 1200C Sportster Custom	2011-2012	130/90B16	150/80B16	130/90B16 73H Scorchers "31"	150/80B16 77H Scorchers "31"	16MI / 16MI	3 3
XL 1200L Sportster 1200 Low	2004-2011	100/90B19	150/80B16	130/90B16 73H Scorchers "31"	150/80B16 77H Scorchers "31"	19MF / 16MI	2.5 3
XL 1200X Forty Eight	2010-2012	130/90B16	150/80B16	130/90B16 73H Scorchers "31"	150/80B16 77H Scorchers "31"	16MI / 16MI	3 3
XL 53C Sportster	1999-2002	MH90-21	130/90-16	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
XL 883 C Sportster Custom	2004-2009	MH90-21 56H	150/80-16 71H	80/90-21 54H Commander II	150/80B16 77H Commander II	21MD / 16MI	3
XL 883 Sportster & Low	2004-2010	100/90-19 57H	150/80-16 71H	100/90B19 57H Commander II	150/80B16 77H Commander II	19MF / 16MI	2.5 3
XL 883L Sportster SuperLow	2011-2012	120/70 ZR 18	150/60 ZR 17	120/70 ZR 18 (59W) Scorchers "11"	150/60 ZR 17 (66W) Scorchers "11"		3.5 4.25
XL 883N Iron 883	2004-2012	100/90B19	150/80B16	100/90B19 57H Scorchers "31"	150/80B16 73H Scorchers "31"	19MF / 16MI	2.5 3
XL, XLH Sportster 883	1988-2003	100/90 H 19	130/90 H 16	100/90B19 57H Commander II	150/80B16 77H Commander II		2.5 3
XLH 1200 C Sportster Custom	1996-1999	MH90-21	MT90-16	80/90-21 54H Commander II	130/90B16 73H Commander II	21MD / 16MI	2.15 3
XLH 1200 Sportster	1992-1999	100/90-19	130/90-16	100/90B19 57H Commander II	130/90B16 73H Commander II	19MF / 16MI	2.5 3
XLH, XLS, XR 1000 Sportster	1982-1986	MH90-19	MT90-16	100/90B19 57H Commander II	130/90B16 73H Commander II	19MF / 16MI	2.5 3
XR 1200X	2008-2012	120/70 ZR 18 (59 W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 18 (59W) Scorchers "11"	180/55 ZR 17 (73W) Scorchers "11"		
HONDA							
XLR 125 R (all types)	1980-2001	2.75-21 45P TT	4.10-18 59P TT	80/90-21 48S T63	120/80-18 62S T63	21MD / 18MF	1.6 1.85
NSR 250 SP	1994	110/70 ZR 17 TL	150/60 ZR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		3 4.5
400 CB	1991	110/70-17 TL	140/70-17 TL	110/70-17 54H Pilot Activ	140/70-17 66H Pilot Activ		
CB 500 & S	1994-2003	110/80 H 17 TL	130/80 H 17 TL	110/80-17 57H Pilot Activ	130/80-17 65H Pilot Activ		2.5 3.5
599	2004-2007	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure		3.5 5
CBR 600 F2	1992-1994	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure		3.5 4.5
CBR 600 F3	1995-1998	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure		3.5 5
CBR 600 F4	1999-2000	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure		3.5 5.5
CBR 600 F4i & RR	2001-2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure		3.5 5.5
VT 600 Shadow VLX / Deluxe	1988-2007	100/90 B19 57H	170/80 B15 77H	100/90 B19 57H Commander II	170/80 B15 77H Commander II	19MF / 15MJ	2.15 3.5
XL 600 L & LE & R	1984-1988	3.00-21	5.10-17	90/90-21 54S T63 90/90-21 54V Anakee 2	130/80-17 65S T63 130/80 R 17 65H Anakee 2	21MD / 17 MI	
XL 600 LM - RM	1985-1988	3.00-21 TL	5.10-17 TL	90/90-21 54S Anakee 2	130/80 R 17 65S Anakee 2	21MD / 17 MI	1.85 2.5
XL 600 V Transalp	1987-1995	90/90-21	130/80-17	90/90-21 54S T63 90/90-21 54S Anakee 2	130/80-17 65S T63 130/80 R 17 65S Anakee 2	21MD / 17 MI	1.85 2.5
XL 600 V Transalp	1996-1999	90/90 S 21	120/90 S 17	90/90-21 54S T63 90/90-21 54S Anakee 2	130/80-17 65S T63 120/90-17 64S Anakee 2	21MD / 17 MI	1.85 2.5
NTV 650 Hawk GT	1989-1997	110/80 H 17 TL	150/70 H 17 TL	110/80-17 57H Pilot Activ	150/70-17 69H Pilot Activ		2.5 4.5
XL 650 V Transalp	2000-2007	90/90 S 21	120/90 S 17	90/90-21 54S Anakee 2 90/90-21 54S Anakee 2	120/90-17 64S Anakee 2 130/80 R 17 65S Anakee 2	21MD / 17 MI	1.85 2.5
NT 700 V	2010-2012	120/70 ZR 17 TL	150/70 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		
CB 750 Seven Fifty	1992-2002	120/70 VR 17 TL	150/70 VR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		3.5 4.5

HONDA (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
VFR 750 F	1990–1997	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5.5
VT 750 RS Shadow RS	2010–2012	100/90 B19 57H	150/80 B16 77H Reinf.	100/90 B19 57H Commander II	150/80 B16 77H Reinf. Commander II	16MI	2.5 3.5
VT750 Shadow Ace	1998–2003	120/90 B17 64S	170/80 B15 77H	120/90 B17 64S Commander II	170/80 B15 77H Commander II	17MI /	3 3.5
XLV 750 RF, RD	1985–1988	90/90-21	130/80-17	90/90-21 54V Anakee 2	130/80 R 17 65H Anakee 2	21MD / 17 MI	
VFR 800 FI	1998–2001	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
VFR 800 Interceptor	2002–2009	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
919 (CB 900F)	2002–2007	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
CBR 929 RR (Fireblade)	2000–2001	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
CBR 954 RR (Fireblade)	2002–2003	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
CB 1000 R	2011–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
CBR 1000 F	1989–2000	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5.5
CBR 1000 RR (Fireblade)	2004–2012	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
VTR 1000 F SuperHawk	1997–2005	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
RVT 1000 R RC51	2000–2006	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
CBR 1100 XX Super Blackbird	1997–2007	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power One 180/55 ZR 17 (73W) Power Pure		3.5 5.5
VFR 1200 F	2010–2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Road 2 190/55 ZR 17 (75W) Pilot Road 3 190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
ST 1300	2002–2012	120/70 ZR 18 TL	170/60 ZR 17 TL	120/70 ZR 18 (59W) Pilot Road 2 120/70 ZR 18 (59W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3		3.5 4.5
HUSABERG							
FS 450e	2003–2006	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 4.25
FS 550e	2007–2008	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 3.5
FS 600	2002	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 3.5
FS 650e	2003–2008	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 4.25
HUSQVARNA							
SM 125	1999–2006	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 4.25
SM 125 & SMS 125	2007–2010	110/70 ZR 17 TL	150/60 ZR 17	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		
SM 400 R	2002	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 4.25
SM 450 R	2002–2010	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 4.25
SM 510 R	2005–2010	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 4.25
SM 570 R	2001–2007	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 4.25
LT 610	2000–2001	90/90-21	130/80-17	90/90-21 54S T63 90/90-21 54V Anakee 2	130/80 R 17 65H Anakee 2	21MD / 17MI	1.6 2.5
SM 610	1999–2009	120/70 ZR 17 TL	150/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MI	3.5 4.25
SM 630	2010–2011	120/70 ZR 17	150/60 ZR 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		
HYOSUNG							
Comet GT 250 & R	2002–2012	110/70-17 54H TL	150/70-17 69 H TL	110/70-17 54H Pilot Activ 110/70 ZR 17 (54W) Pilot Road 2 110/70 ZR 17 (54W) Pilot Road 3	150/70-17 69H Pilot Activ 150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		3 4
Comet GT 650, S & R	2004–2012	120/60 ZR 17 (55 W) TL	160/60 ZR 17 (69W) TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

HYOSUNG (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
GV 650 Aquila Pro	2012	120/70 ZR 18	180/55 ZR 17 TL	120/70 ZR 18 (59W) Pilot Road 2 120/70 ZR 18 (59W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		
GV Aquila 650	2005–2009	120/70 ZR 18 (59 W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 18 (59W) Pilot Road 2 120/70 ZR 18 (59W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		
INDIAN							
Centennial	2003	130/90 B16	130/90 B16	130/90 B16 M/C 73H Commander II TL/TT	130/90 B16 M/C 73H Commander II TL/TT		3.5 3.5
Spirit	2003	130/90 B16	130/90 B16	130/90 B16 M/C 73H Commander II TL/TT	130/90 B16 M/C 73H Commander II TL/TT		3.5 3.5
Chief (all types)	2009–2012	130/90 B16	150/80 B16	130/90 B16 M/C 73H Commander II TL/TT	150/80 B16 M/C 77H Commander II TL/TT		
KAWASAKI							
KDX 125	1990–2003	70/100-21	4.10 - 18	80/90-21 48S T63	110/80-18 58S T63	21MD / 18MF	1.6 1.85
Ninja 250 R	2008–2012	110/70-17 54S	130/70-17 62S TL/TT	110/70-17 54H Pilot Activ	130/70-17 62H Pilot Activ		
KLE 500	1992–2007	90/90-21 54 S TT	130/80-17 65S TT	90/90-21 54S T63 90/90-21 54S Anakee 2	130/80-17 65S T63 130/80 R 17 65S Anakee 2	21MD / 17MH	1.85 2.5
EN 500 A/C Vulcan, Vulcan 500 LTD	1990–2009	100/90 B19 57H	140/90 B15 76H	100/90 B19 57H Commander II	140/90 B15 76H Commander II	19MF / 15MJ	2.5 3
EX500 / GPZ 500 S / Ninja 500R	1994–2009	110/70-17 54H TL/TT	130/70-17 62H TL/TT	110/70-17 54H Pilot Activ	130/70-17 62H Pilot Activ		3 3.5
ER-5	1997–2005	110/70-17 54H TL	130/70-17 62H TL	110/70-17 54H Pilot Activ	130/70-17 62H Pilot Activ		3 3.5
KLR 600	1985–1989	3.00-21	5.10-17	90/90-21 54S T63 90/90-21 54V Anakee 2	130/80-17 65S T63 130/80 R 17 65H Anakee 2	21MD / 17MI	1.85 2.5
ZZ-R 600	1990–2005	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 5
Ninja ZX-6 R	1995–1996	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 5
Ninja ZX-6 R	1997–1999	120/60 ZR 17 (55 W) TL	170/60 ZR 17 (72W) TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5.5
Ninja ZX-6 R & RR	2000–2006	120/65 ZR 17 (56 W) TL	180/55 ZR 17 (73W) TL	120/65 ZR 17 (56W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5 5.5
Ninja ZX-6 R	2007–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
KLR 650	1988–2011	90/90-21	130/80-17	90/90-21 54S T63 90/90-21 54V Anakee 2	130/80-17 65S T63 130/80 R 17 65H Anakee 2	21MD / 17MI	1.85 2.5
KLX 650	1994–1996	90/90 S 21	130/80 S 17	90/90-21 54S T63 90/90-21 54V Anakee 2	130/80-17 65S T63 130/80 R 17 65H Anakee 2	21MD / 17MI	1.85 2.5
Ninja 650R	2006–2012	120/70 ZR 17 (58W) TL	160/60 ZR 17 (69W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
Versys 650	2007–2012	120/70 ZR 17 (58W) TL	160/60 ZR 17 (69W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
ER-6n	2007–2011	120/70 ZR 17 (58W) TL	160/60 ZR 17 (69W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
VN750 A Vulcan 750	1986–2006	100/90 B19 57H	150/90 B15 74H	100/90 B19 57H Commander II	150/90 B15 74H Commander II	19MF / 15MJ	2.15 3.5
Z 750 & S	2004–2008	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Zephyr 750	1991–1999	120/70 ZR 17	150/70-17	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		3 3
ZR-7 & S	1999–2003	120/70 ZR 17 (58W) TL	160/60 ZR 17 (69W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power		3.5 5
ZX 7 R Ninja	1996–2003	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
ZXR 750 Stinger	1989–1992	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5.5
ZXR 750 R Stinger	1991–1995	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
VN 800 A Vulcan 800	1995–2005	80/90-21 54H Reinf.	140/90 B16 77H Reinf.	80/90-21 54H Reinf. Commander II	140/90 B16 77H Reinf. Commander II	21MD / 16MI2	1.85 3
VN 800 B Vulcan 800 Classic	1996–2005	130/90 B16 73H Reinf.	140/90 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	140/90 B16 77H Reinf. Commander II	16MI / 16MI2	3 3
VN 800 C / E Vulcan 800 Drifter	1999–2006	130/90 B16 73H Reinf.	140/90 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	140/90 B16 77H Reinf. Commander II	16MI / 16MI2	3 3

KAWASAKI (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
ZX-9R Ninja	1994–1999	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
ZX-9R Ninja	2000–2003	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
ZX-10 Tomcat	1988–1991	120/70 VR 17 TL	160/60 VR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3		3.5 4.5
Ninja 1000	2011	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		
Ninja 1000	2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		
Z 1000	2003–2012	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		3.5 6
ZX-10 R Ninja	2004–2005	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
ZX-10 R Ninja, ABS	2006–2012	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
GPZ 1100	1995–1996	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5
ZRX 1100	1997–2000	120/70 ZR 17 (58W) TL	170/60 ZR 17 (72W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5
ZX-11 Ninja	1990–1992	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5
ZX-11 Ninja	1993–2001	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
ZRX 1200 R & S	2001–2007	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
ZZ-R 1200	2002–2005	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Power Pure		
ZX-14 R Ninja	2006–2012	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power	190/50 ZR 17 (73W) Power Pure		3.5 6
Concours 14, 14 ABS	2007–2012	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3		3.5 6
VN 1500 Vulcan, Vulcan 88, 1500L	1987–1999	100/90 B19 57H	150/90 B15 74H	100/90 B19 57H Commander II	150/90 B15 74H Commander II	19MF / 15MJ	2.15 3.5
VN 1500 D, E, N, T Vulcan 1500 Classic	1996–2008	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 3.5
VN1500 Vulcan Drifter	1999–2006	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 3.5
KTM							
125 LC2	1997–1999	2.75-21	4.10-18	90/90-21 54S T63	110/80-18 58S T63	21MD / 18MF	1.6 2.15
125 Sting	1997–1999	110/70-17	130/70-17	110/70-17 54H Pilot Activ	130/70-17 62H Pilot Activ	17MF / 17MH	2.5 3.5
620 Duke	1994–1996	120/70 VR 17 TL	150/60 VR 17 TL	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17MF / 17MHR	3.5 4.25
625 LC4 SC Supermoto, SMC	2002–2006	120/70 ZR 17	160/60 ZR 17	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.25
640 LC4 Duke & Duke II	1999–2006	120/70 ZR 17	160/60 ZR 17	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One	17MF / 17MHR	3.5 4.25
640 LC4 Supermoto	1999–2006	120/70 ZR 17	160/60 ZR 17	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One	17MF / 17MHR	3.5 4.25
660 SMC	2003–2005	120/70 ZR 17	160/60 ZR 17	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One	17MF / 17MHR	3.5 5
690 Duke	2007–2010	120/70 R 17 58 H TL	160/60 R 17 69H TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One	17MF / 17MHR	3.5 4.25

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

KTM (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
690 Duke R	2008–2010	120/70 R 17 58 H TL	160/60 R 17 69H TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		
690 SMC	2008–2010	120/70 ZR 17	160/60 ZR 17	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One	17MF / 17MHR	3.5 5
690 SMR	2007–2008	120/70 R 17 58 H TL	160/60 R 17 69H TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power One 160/60 ZR 17 (69W) Power Pure	17MF / 17MHR	3.5 4.25
950 Supermoto	2005–2008	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 4.5
990 Super Duke	2005–2010	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
990 Super Duke R	2007–2010	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
990 SM-T	2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
1190 RC8, R, Race Spec	2008–2012	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		3.5 6
LAVERDA							
650 Diamante	1997–1998	120/60 ZR 17 TL	170/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (72W) Pilot Power 2CT 170/60 ZR 17 (72W) Power Pure 170/60 ZR 17 (72W) Power One		3.5 5
650 Formula	1996	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
650 Ghost	1996	120/60 ZR 17 TL	170/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (72W) Pilot Power 2CT 170/60 ZR 17 (72W) Power Pure 170/60 ZR 17 (72W) Power One		3.5 5
650 Sport	1992–1996	120/60 ZR 17 TL	170/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (72W) Pilot Power 2CT 170/60 ZR 17 (72W) Power Pure 170/60 ZR 17 (72W) Power One		3.5 5.5
750 Ghost, Strike	1997–2001	120/60 ZR 17 TL 120/70 ZR 17 TL	170/60 ZR 17 TL 160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One 120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One 170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (72W) Pilot Power 2CT 170/60 ZR 17 (72W) Power Pure 170/60 ZR 17 (72W) Power One		3.5 5.5
750 S Sport & Formula	1997–2001	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One 120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One 170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (72W) Pilot Power 2CT 170/60 ZR 17 (72W) Power Pure 170/60 ZR 17 (72W) Power One		3.5 5.5
Lynx 650	2001	120/70 ZR 17 TL	160/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3		
MOTO GUZZI							
V7 Classic, Café Classic, Racer	2010–2012	100/90 H 18	130/80 H 17	100/90-18 56H Pilot Activ 110/70-17 54H Pilot Activ	130/80-17 65H Pilot Activ 130/80-17 65H Pilot Activ		2.5 3.5
Breva V 750 ie	2003–2009	110/70-17	130/80-17				3.5 5.5
Bellagio	2008–2009	120/70 ZR 18 TL	180/55 ZR 17 (73W) TL	120/70 ZR 18 (59W) Pilot Road 2 120/70 ZR 18 (59W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
Daytona 1000 & RS	1991–1998	120/70 ZR 17 TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3 160/60 ZR 18 (70W) Pilot Power 160/60 ZR 18 (70W) Pilot Power 2CT 160/60 ZR 18 (70W) Power Pure 160/60 ZR 18 (70W) Power One		3.5 4.5
Quota 1000	1990–1997	90/90-21	130/80-17	90/90-21 54V Anakee 2		21MD	1.85 2.75
V 10 Centauro	1997–2001	120/70 ZR 17 TL	160/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 5.5
Breva V 1100 & 1200	2004–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5

MOTO GUZZI (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
Griso 1100	2005–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Quota 1100 ES	1999–2002	90/90 H 21	130/80 H 17	90/90-21 54V Anakee 2	130/80 R 17 65H Anakee 2	21MD / 17MI	1.85 2.75
Sport 1100	1995–1996	120/70 ZR 17 TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 4.5
Griso 8V	2010–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
Norge 1200	2006–2009	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Norge 1200 GT	2010–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
Sport 1200	2008	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Stelvio 1200 4V	2010–2012	110/80 R 19 59 V TL	180/55 ZR 17 TL	110/80 R 19 59V Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
Stelvio 1200 ABS	2010–2012	110/80 R 19 59 V TL	150/70 ZR 17 TL	110/80 R 19 59V Pilot Road 3 110/80 R 19 59V Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Pilot Road 3 150/70 R 17 69V Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		
V11 Sport	2000–2001	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power 170/60 ZR 17 (72W) Pilot Power 2CT 170/60 ZR 17 (72W) Power Pure 170/60 ZR 17 (72W) Power One	rear size Q?	3.5 4.5
V11 (all types)	2002–2005	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5

MV AGUSTA

F3 675	2012	120/70 ZR 17 TL	190/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
F4 Brutale S 750	2001–2005	120/65 ZR 17 (56 W) TL	190/50 ZR 17 (73W) TL	120/65 ZR 17 (56W) Pilot Power	190/50 ZR 17 (73W) Pilot Power		3.5
F4 Brutale S 750	2001–2005	120/65 ZR 17 (56 W) TL	180/55 ZR 17 (73W) TL	120/65 ZR 17 (56W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		3.5
F4 750	1999–2005	120/65 ZR 17 TL	190/50 ZR 17 TL	120/65 ZR 17 (56W) Pilot Power	190/50 ZR 17 (73W) Pilot Power		3.5 6
F4 750 SPR	2004–2005	120/65 ZR 17 TL	180/55 ZR 17 TL	120/65 ZR 17 (56W) Pilot Power 120/60 ZR 17 (55W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Power One		3.5 5.75
Brutale 910 S	2006–2008	120/65 ZR 17 TL	190/50 ZR 17 (73W) TL	120/65 ZR 17 (56W) Pilot Power 120/65 ZR 17 (56W) Pilot Power A 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		3.5 6
F4, F4R, F4RR, & Freccie Tricolor	2010–2012	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
F4 1000	2004–2007	120/70 ZR 17 TL	190/50 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power A 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
F4 1000 Ago	2004–2005	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.75
F4 312	2008–2009	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		3.5 6
Brutale 1078 RR, 989R, 910R	2008–2009	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		3.5 6
Brutale 990R	2010–2011	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
Brutale 1090 R & RR	2010–2012	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		

MZ

125 SM	2001–2008	110/70-17	130/70-17	110/70-17 54H Pilot Activ	130/70-17 62H Pilot Activ	17MF / 17MI	
RT 125	2001–2008	110/70 H 17 TL	130/70 H 17 TL	110/70-17 54H Pilot Activ	130/70-17 62H Pilot Activ		2.75 4
660 Skorpion Supersport	1995	120/60 VR 17 TL	160/60 VR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power		3.5 5
Baghira Streetmoto	2001–2005	120/70 VR 17 TL	160/60 VR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power		3.5 4.5
660 Supermoto	2008	120/70 VR 17 TL	160/60 VR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3		3.5 5

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

MZ (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
Mastiff	1997-1999	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5 5
				120/60 ZR 17 (55W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
Mastiff	2000-2004	120/60 ZR 17 TL	150/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		3.5 4.5
Skorpion (all types)	1996-2004	110/70 ZR 17 TL	150/60 ZR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		3.5 4
Skorpion Replica	1996-1999	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5 5
1000 S, SF, ST	2005-2008	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/60 ZR 17 (55W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		3.5 5.5
				120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One						
ROEHR							
1250sc	2008-2010	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power	190/55 ZR 17 (75W) Pilot Power		3.5 6
				120/70 ZR 17 (58W) Pilot Power 2CT	190/55 ZR 17 (75W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	190/55 ZR 17 (75W) Power Pure		
				120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Power One		
eSuperSport	2011	110/70 ZR 17 TL	150/60 ZR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		
eSuperBike	2011	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	170/60 ZR 17 (72W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Power		
				120/70 ZR 17 (58W) Power One	170/60 ZR 17 (69W) Power One		
				120/70 ZR 17 (58W) Power One	170/60 ZR 17 (69W) Power One		
SUZUKI							
RGV 250 & Gamma	1991-1998	110/70 HR 17 TL	150/60 HR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		3 4.5
DR-Z 400SM	2005-2008	120/70 R 17	140/70 R 17	120/70 ZR 17 (58W) Pilot Power	150/60 ZR 17 (66W) Pilot Power	17 MG / 17MHR	3.5 4.25
GSF 400 Bandit	1991-1995	110/70 H 17 TL	150/70 H 17 TL	110/70-17 54H Pilot Activ	150/70-17 69H Pilot Activ		3 4
				110/70 ZR 17 (54W) Pilot Road 2	150/70 ZR 17 (69W) Pilot Road 2		
				110/70 ZR 17 (54W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 3		
GSX-R 400 R	1991-1993	120/60 VR 17 TL	160/60 VR 17 TL	120/60 ZR 17 (55W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3 4.5
				120/60 ZR 17 (55W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/60 ZR 17 (55W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Power Pure		
				120/60 ZR 17 (55W) Power One	160/60 ZR 17 (69W) Power One		
GS 500, E, and F	1989-2009	110/70-17	130/70-17	110/70-17 54H Pilot Activ	130/70-17 62H Pilot Activ		3 3.5
DR 600	1985-1991	90/90-21	130/80-17	90/90-21 54S T63	130/80-17 65S T63	21MD / 17MI	
				90/90-21 54V Anakee 2	130/80 R 17 65H Anakee 2		
GSF 600 N/S Bandit	2000-2004	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5
				120/60 ZR 17 (55W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Power Pure		
GSX 600 F Katana	1998-2004	120/70 ZR 17 (58W) TL	150/70 ZR 17 (69W) TL	120/70 ZR 17 (58W) Pilot Road 2	150/70 ZR 17 (69W) Pilot Road 2		3.5 4.5
				120/70 ZR 17 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	150/70 ZR 17 (69W) Pilot Power		
GSX-R 600	2001-2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		3.5 5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
RF 600	1993-1995	120/70 ZR 17 (58W) TL	160/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5 4.5
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	160/60 ZR 17 (69W) Power Pure		
				120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Power One		
DL 650 V-Strom & ABS	2004-2011	110/80 R 19 59H TL	150/70 R 17 69H TL	110/80 R 19 59H Anakee 2	150/70 R 17 69H Anakee 2		2.5 4
				110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Pilot Road 3 Trail		
DR 650 & SE	1990-2011	90/90-21	120/90 S 17	90/90-21 54S T63	130/80-17 65S T63	21MD / 17MI	1.85 2.5
				90/90-21 54S Anakee 2	120/90-17 64S Anakee 2		
				90/90-21 54S Anakee 2	130/80 R 17 65S Anakee 2		
GSF 650 Bandit	2005-2008	120/70 ZR 17 TL	160/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5 4.5
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	160/60 ZR 17 (69W) Power Pure		
				120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Power One		
GSX 650 F & ABS	2008-2011	120/70 ZR 17 (58W) TL	160/60 ZR 17 (69W) TL	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5 4.5
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/60 ZR 17 (55W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	160/60 ZR 17 (69W) Power Pure		
				120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Power One		
SV 650 N & S & SA	1999-2011	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		3.5 4.5
				120/60 ZR 17 (55W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/60 ZR 17 (55W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/60 ZR 17 (55W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	160/60 ZR 17 (69W) Power Pure		
				120/60 ZR 17 (55W) Power One	160/60 ZR 17 (69W) Power One		
Gladius & SFV 650	2009-2011	120/70 ZR 17 (58W) TL	160/60 ZR 17 (69W) TL	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	160/60 ZR 17 (69W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	160/60 ZR 17 (69W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	160/60 ZR 17 (69W) Power Pure		
				120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Power One		
LS 650 Boulevard S40	2005-2012	100/90 B19 57H	140/90 B15 76H	100/90 B19 57H Commander II	140/90 B15 76H Commander II	19MF / 15MJ	2.15 2.75
				100/90 B19 57H Commander II	140/90 B15 76H Commander II		
LS 650 F / P Savage	1986-2004	100/90 B19 57H	140/90 B15 76H	100/90 B19 57H Commander II	140/90 B15 76H Commander II	19MF / 15MJ	2.15 2.75
GSX-F 750 Katana	1998-2006	120/70 ZR 17 TL	150/70 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	150/70 ZR 17 (69W) Pilot Road 2		3.5 4.5
				120/70 ZR 17 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 3		

SUZUKI (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
GSX-R 750	1988-1989	120/70 VR 17 TL	160/60 VR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
GSX-R 750 R	1989	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		
GSX-R 750	1990-1993	120/70 VR 17 TL	170/60 VR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5.5
GSX-R 750	1994-1995	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
GSX-R 750	1996-1999	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
GSX-R 750	2000-2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
VL 800 Intruder Volusia	2001-2004	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 4
VL 800 Boulevard C50	2005-2009	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 4
VL 800 B Boulevard C50 Black	2005-2008	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 4
VL 800 C Boulevard C50 Spl. Edition	2007-2009	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 4
VL 800 T Boulevard C50T & Classic	2005-2012	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 4
VS 800 Boulevard S50	2005-2009	100/90 B19 57H	140/90 B15 76H	100/90 B19 57H Commander II	140/90 B15 76H Commander II	19MF / 15MJ	2.15 3
VS 800 GL Intruder	2000-2004	100/90 B19 57H	140/90 B15 76H	100/90 B19 57H Commander II	140/90 B15 76H Commander II	19MF / 15MJ	2.15 3
VS 800 GL Intruder	1992-1999	80/90-21 54H Reinf.	140/90 B15 76H	80/90-21 54H Reinf. Commander II	140/90 B15 76H Commander II	21MD / 15 MJ	2.15 3
VX 800	1990-1998	110/80 VR 18 TL	150/70 VR 17 TL	110/80 ZR 18 (58W) Pilot Road 2 110/80 ZR 18 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		3.5
VZ 800 Boulevard M50	2005-2009	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II		3 4
VZ 800 Marauder	1997-2004	130/90 B16 73H Reinf.	140/90 B15 76H	130/90 B16 73H Reinf. Commander II	140/90 B15 76H Commander II		3 3.5
VZ 800 B Boulevard M50 Black	2005-2006	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II		3 4
VZ 800 Z Boulevard M50 Ltd., Spl. Ed.	2007-2009	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II		3 4
RF 900	1994-1995	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3		3.5 5.5
DL 1000 V-Strom	2002-2009	110/80 R 19 59H TL	150/70 R 17 69H TL	110/80 R 19 59H Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69H Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		2.5 4
GSX-R 1000	2001-2012	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 5.5
SV 1000 N & S	2003-2007	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
TL 1000 S & R	1997-2002	120/70 ZR 17 TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
GSX-R 1100	1988	110/80 VR 18 TL	160/60 VR 18 TL	110/80 ZR 18 (58W) Pilot Road 2 110/80 ZR 18 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3		2.75 4.5
GSX-R 1100	1989	120/70 VR 17 TL	160/60 VR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 4.5
GSX-R 1100	1990	130/60 VR 17 TL	180/55 VR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
GSX-R 1100	1991-1995	120/70 VR 17 TL	180/55 VR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
GSX-R 1100 W	1997-1998	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

SUZUKI (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
GSX 1250 FA	2010–2011	120/60 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
GSF 1200 Bandit N, and S	1996–2006	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
GSF 1250 Bandit	2007–2009	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
GSX 1300 R Hayabusa	1999–2012	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2	3.5	6
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
TRIUMPH							
Speed Four	2003–2005	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
TT 600	2000–2003			120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
Daytona 600	2002–2004	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
Daytona 650	2005	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power	3.5	5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
Daytona 675 & R	2006–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power	3.5	5.5
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
Street Triple 675, Street Triple R	2008–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
Trident 750	1996–1998	120/70 ZR 17 TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 18 (70W) Pilot Road 2	3.5	4.5
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 3		
America	2011–2012	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	2.5 3.5
				100/90 B19 57H	170/80 B15 77H		
Speedmaster	2011–2012	100/90 B19 57H	170/80 B15 77H	100/90 B19 57H Commander II	170/80 B15 77H Commander II		2.5 4
Adventurer 900	1999–2001	100/90 B19 57H	150/80 B16 77H Reinf.	100/90 B19 57H Commander II	150/80 B16 77H Reinf. Commander II	19MF / 16 MI	2.5 3.5
Thrupton 900	2004–2011	100/90-18	130/80-17	100/90-18 56H Pilot Activ	130/80-17 65H Pilot Activ		2.5 3.5
Bonneville	2000–2008	100/90 H 19	130/80-17 65 H TL/TT	100/90-19 57H Pilot Activ	130/80-17 65H Pilot Activ		
Bonneville T 100	2008–2012	100/90 R 19	130/80 R 17	100/90-19 57H Pilot Activ	130/80-17 65H Pilot Activ		
Steve McQueen SE	2012	100/90 R 19	130/80 R 17	100/90-19 57H Pilot Activ	130/80-17 65H Pilot Activ		
Scrambler	2006–2011	100/90-19	130/80-17	100/90-19 57H Anakee 2	130/80 R 17 65H Anakee 2	19MF / 17MH	2.5 3
Bonneville & SE	2009–2012	110/70-17	130/80-17	110/70-17 54H Pilot Activ	130/80-17 65H Pilot Activ		
Bonneville America 900	2007–2009	110/90-18	130/80-17 65 H TL/TT	110/90-18 61V Pilot Activ	130/80-17 65H Pilot Activ		3.5
Legend TT	1998–2000	120/70 ZR 17	160/60 ZR 17	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 17 (69W) Pilot Road 2	3.5	4.25
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 17 (69W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
Daytona 900	1994–1996	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power Pure	180/55 ZR 17 (73W) Power Pure		
				120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Pilot Road 2	180/55 ZR 17 (73W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	180/55 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	180/55 ZR 17 (73W) Pilot Power 2CT		
Sprint 900	1993–1995	120/70 ZR 17 (58W) TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 18 (70W) Pilot Road 2	3.5	4.5
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 3		
Sprint Executive & Sport	1996–1999	120/70 ZR 17 (58W) TL	170/60 ZR 17 (72W) TL	120/70 ZR 17 (58W) Pilot Road 2	170/60 ZR 17 (72W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 2	170/60 ZR 17 (72W) Pilot Road 2		
Tiger 900	1993–1998	110/80-19	140/80-17	110/80 R 19 59H Anakee 2	140/80 R 17 69H Anakee 2	19MF / 17MI	2.5 3.5
Tiger 900	1999–2001	110/80 R 19	150/70 R 17	110/80 R 19 59V Anakee 2	150/70 R 17 69V Anakee 2		2.5 4.25
Trident 900	1991–1998	120/70 ZR 17 TL	160/60 ZR 18 TL	110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Pilot Road 3 Trail	3.5	4.5
				120/70 ZR 17 (58W) Pilot Road 2	160/60 ZR 18 (70W) Pilot Road 2		
				120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 3		
Trophy 900	1994–2000	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2	170/60 ZR 17 (72W) Pilot Road 2	3.5	5.5
				120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Power		
Daytona T 595 / 955 i	1997–2006	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2	190/50 ZR 17 (73W) Pilot Road 2	3.5	6
				120/70 ZR 17 (58W) Pilot Road 3	190/50 ZR 17 (73W) Pilot Road 3		
				120/70 ZR 17 (58W) Pilot Power	190/50 ZR 17 (73W) Pilot Power		
				120/70 ZR 17 (58W) Pilot Power 2CT	190/50 ZR 17 (73W) Pilot Power 2CT		
				120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Power One		
				120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Power Pure		

TRIUMPH (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
Sprint RS	2000–2003	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Speed Triple	1994–1996	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Speed Triple	1997–2004	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		3.5 6
Speed Triple	2005–2010	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Speed Triple & R	2011–2012	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/55 ZR 17 (75W) Pilot Road 2 190/55 ZR 17 (75W) Pilot Road 3 190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power One		
Tiger 955i	2002–2006	110/80 R 19	150/70 R 17	110/80 R 19 59V Anakee 2 110/80 R 19 59V Pilot Road 3	150/70 R 17 69V Anakee 2 150/70 R 17 69V Pilot Road 3		2.5 4.25
Daytona Sport 1000	1991–1993	120/70 ZR 17 TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3		3.5 4.5
Sprint GT	2011–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
Sprint ST	1999–2010	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Tiger 1050 & SE	2007–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 2 D 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 2 C 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
Tiger SE	2010	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		
Daytona 1200	1994–1997	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
Daytona Sport 1200	1993	120/70 ZR 17 TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3		3.5 4.5
Trophy 1200	1991–1994	120/70 ZR 17 TL	160/60 ZR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3		3.5 4.5
Trophy 1200	1995–2003	120/70 ZR 17 TL	170/60 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3		3.5 5.5
Tiger Explorer	2012	110/80 R 19	150/70 R 17	110/80 R 19 59V Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		
YAMAHA							
XT 125	1982–1994			80/90-21 48S T63	110/80-18 58S T63	21MD / 18MF	
WR250X	2008–2011	110/70 ZR 17 TL	140/70 VR 17 TL	110/70 ZR 17 (54W) Pilot Power	150/60 ZR 17 (66W) Pilot Power		4.25
XV 535 Virago	1987–2000	100/90 B19 57H	140/90 B15 76H	100/90 B19 57H Commander II	140/90 B15 76H Commander II	19MF / 15MJ	1.85 3
XT 600 & E	1990–2003	90/90-21 54 S TT	120/90 S 17	90/90-21 54S Anakee 2 90/90-21 54S Anakee 2 90/90-21 54S T63	120/90-17 64S Anakee 2 130/80 R 17 65S Anakee 2 130/80 R 17 65H Anakee 2	21MD / 17MI	
FZR 600 R Genesis	1994–1996	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure		3.5 5
YZF 600 R	1996–2002	120/60 ZR 17 TL	160/60 ZR 17 TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 5

2012 MICHELIN MOTORCYCLE FITMENT GUIDE (continued)

YAMAHA (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
FZ6 600	2004–2010	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
FZ6R	2009–2012	120/70 ZR 17 (58W) TL	160/60 ZR 17 TL 69W	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	160/60 ZR 17 (69W) Pilot Road 2 160/60 ZR 17 (69W) Pilot Road 3 160/60 ZR 17 (69W) Pilot Power 160/60 ZR 17 (69W) Pilot Power 2CT 160/60 ZR 17 (69W) Power Pure 160/60 ZR 17 (69W) Power One		3.5 5.5
YZF R6	1999–2004	120/60 ZR 17 (55W) TL	180/55 ZR 17 (73W) TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
YZF R6	2005–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power P 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
YZF R6S	2008–2010	120/60 ZR 17 (55W) TL	180/55 ZR 17 (73W) TL	120/60 ZR 17 (55W) Pilot Road 2 120/60 ZR 17 (55W) Pilot Road 3 120/60 ZR 17 (55W) Pilot Power 120/60 ZR 17 (55W) Pilot Power 2CT 120/60 ZR 17 (55W) Power Pure 120/60 ZR 17 (55W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
XVS 650 V Star Custom	1998–2011	100/90 B19 57H	170/80 B15 77H	100/90 B19 57H Commander II	170/80 B15 77H Commander II	16MI / 15MJ	2.5 3.5
XVS 650 A V Star Classic / CE	1998–2010	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 3.5
XVS 650 AT V Star Silverado / CE	2002–2010	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 3.5
XVS 650 B V Star Midnight Custom	2007–2009	100/90 B19 57H	170/80 B15 77H	100/90 B19 57H Commander II	170/80 B15 77H Commander II	19MF / 15MJ	2.5 3.5
FZR 750 Genesis	1987–1988	120/70 VR 17 TL	160/60 VR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3		3.5
XV 750 Virago	1988–1997	100/90 B19 57H	140/90 B15 76H	100/90 B19 57H Commander II	140/90 B15 76H Commander II	19MF / 15MJ	2.15 3
YZF 750 R Genesis - SP	1993–1998	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
YZF R7	2000–2002	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5
TDM 850 I & II	1991–2001	110/80 ZR 18 TL	150/70 ZR 17 TL	110/80 ZR 18 (58W) Pilot Road 2 110/80 ZR 18 (58W) Pilot Road 3	150/70 ZR 17 (69W) Pilot Road 2 150/70 ZR 17 (69W) Pilot Road 3		4
FZR 1000 Genesis	1987–1988	120/70 VR 17 TL	160/60 VR 18 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	160/60 ZR 18 (70W) Pilot Road 2 160/60 ZR 18 (70W) Pilot Road 3		3.5 4.5
GTS 1000	1993–1996	130/60 ZR 17 (59 W) TL	170/60 ZR 17 (72W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power	170/60 ZR 17 (72W) Pilot Road 2 170/60 ZR 17 (72W) Pilot Road 3 170/60 ZR 17 (72W) Pilot Power		3.5 5.5
FZS 1000 Fazer	2001–2005	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
FZ1	2006–2012	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power One 190/50 ZR 17 (73W) Power Pure		3.5 6
FZ8	2011–2012	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
YZF 1000 R	1996–2001	120/70 ZR 17 (58W) TL	180/55 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Power 180/55 ZR 17 (73W) Pilot Power 2CT 180/55 ZR 17 (73W) Power Pure 180/55 ZR 17 (73W) Power One		3.5 5.5
YZF-R1	1998–2003	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		3.5 6
YZF-R1	2004–2008	120/70 ZR 17 (58W) TL	190/50 ZR 17 (73W) TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power P 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power One	190/50 ZR 17 (73W) Pilot Road 2 190/50 ZR 17 (73W) Pilot Road 3 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 190/50 ZR 17 (73W) Pilot Power 2CT 190/50 ZR 17 (73W) Power Pure 190/50 ZR 17 (73W) Power One		3.5 6

YAMAHA (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
YZF-R1	2009	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power One 190/55 ZR 17 (75W) Power Pure		3.5 6
YZF-R1	2010–2012	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure 120/70 ZR 17 (58W) Power Pure	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power One 190/55 ZR 17 (75W) Power Pure 190/55 ZR 17 (75W) Power Pure		3.5 6
YZF-R1 LE	2010	120/70 ZR 17 (58W) TL	190/55 ZR 17 (75W) TL	120/70 ZR 17 (58W) Pilot Power 120/70 ZR 17 (58W) Pilot Power 2CT 120/70 ZR 17 (58W) Power One 120/70 ZR 17 (58W) Power Pure	190/55 ZR 17 (75W) Pilot Power 190/55 ZR 17 (75W) Pilot Power 2CT 190/55 ZR 17 (75W) Power One 190/55 ZR 17 (75W) Power Pure		3.5 6
XV 1100 Virago	1986–1999	100/90 B19 57H	140/90 B15 76H	100/90 B19 57H Commander II	140/90 B15 76H Commander II	19MF / 15MJ	2.15 3
XVS 1100 A V Star 1100 Classic, CE	2000–2010	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 4.5
XVS 1100 AT V Star 1100 Silverado, CE	2002–2010	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II		3 4.5
XVS1100 V-Star Classic	2002–2007	130/90 B16 73H Reinf.	170/80 B15 77H	130/90 B16 73H Reinf. Commander II	170/80 B15 77H Commander II	16MI / 15MJ	3 3.5
Super Ténéré	2012	110/80 R 19 M/C	150/70 R 17 M/C	110/80 R 19 59V Anakee 2 110/80 R 19 59V Pilot Road 3 Trail	150/70 R 17 69V Anakee 2 150/70 R 17 69V Pilot Road 3 Trail		
FJR 1300	2001–2009	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
FJR 1300A, 1300AE	2010–2012	120/70 ZR 17 TL	180/55 ZR 17 TL	120/70 ZR 17 (58W) Pilot Road 2 120/70 ZR 17 (58W) Pilot Road 3	180/55 ZR 17 (73W) Pilot Road 2 180/55 ZR 17 (73W) Pilot Road 3		3.5 5.5
XV 1600A Road Star 1600	1999–2003	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 4
XV 1600AL Road Star Limited	2000	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 4
XV 1600ALE Road Star Ltd. Edition	2003	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 4
XV 1600AS Road Star Midnight Star	2001–2003	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 4
XV 1600AT Road Star Silverado	1999–2003	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 4
XV 1600ATLE Road Star Silverado Ltd. Ed.	2003	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 4
XV 1700A Road Star	2004–2007	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II	16MI / 16MI2	3 3.5
XV 1700AM Road Star Midnight	2004–2007	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II		3 3.5
XV 1700AS Road Star S	2008–2012	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II		3 3.5
XV 1700AT Road Star Silverado	2004–2010	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II		3 3.5
XV 1700ATM Road Star Mdnt. Silverado	2005–2007	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II		3 3.5
XV 1700ATS Road Star Silverado S	2008–2012	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II		3 3.5
XV 1700AW Road Star	2005–2010	130/90 B16 73H Reinf.	150/80 B16 77H Reinf.	130/90 B16 73H Reinf. Commander II	150/80 B16 77H Reinf. Commander II		3 3.5

2012 MICHELIN SCOOTER FITMENT GUIDE

ADLY	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
Fox 50 2T	2011	120/90-10	130/90-10	120/90-10 57J Reggae 120/90-10 57L Bopper	130/90-10 61J Reggae 130/90-10 61L Bopper		
Fox 50 4T	2011	110/90-10	110/90-10	100/90-10 56J S1 100/90-10 56J S83	100/90-10 56J S1 100/90-10 56J S83		
Panther 50/100	2010–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Panther 50 2T	2011	120/90-10	130/90-10	120/90-10 57J Reggae 120/90-10 57L Bopper	130/90-10 61J Reggae 130/90-10 61L Bopper		
Panther 50 4T	2011	110/90-10	110/90-10	100/90-10 56J S1 100/90-10 56J S83	100/90-10 56J S1 100/90-10 56J S83		
Jet 50/100	2010–2012	120/90-10	130/90-10	120/90-10 57J Reggae 120/90-10 57L Bopper	130/90-10 61J Reggae 130/90-10 61L Bopper		
Silver Fox 50/100	2010–2012	120/90-10	130/90-10	120/90-10 57J Reggae 120/90-10 57L Bopper	130/90-10 61J Reggae 130/90-10 61L Bopper		
Cat 125 B, D	2010–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Thunderbike 50/100/125/150	2010–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Noble 50/100	2010–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Noble 125	2010–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Supersonic 50/100/125	2010–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
APRILIA							
Sportcity 250	2012	120/70-15 TL	130/80-15 TL	120/70-15 56P Power Pure SC	130/80-15 63P Power Pure SC		
Atlantic 125	2003	110/90-13	130/70-13	110/90-13 56P City Grip 110/90-13 56P Power Pure SC	130/70-13 63P City Grip 130/70-13 63P Power Pure SC	3	3.5
Atlantic 200	2003–2004	110/90-13	130/70-13	110/90-13 56P City Grip	130/70-13 63P City Grip		3 3.5
Scarabeo 250 i.e	2007	110/70-16 52P TL	140/70-14 68P TL	110/70-16 52S City Grip	140/70-14 68S City Grip		3 4.5
Atlantic 250	2005	110/90-13	130/70-13	110/90-13 56P City Grip 110/90-13 56P Power Pure SC	130/70-13 63P City Grip 130/70-13 63P Power Pure SC		3 3.5
Atlantic 400 Sprint	2007	120/70-14	140/60-14	120/70-14 55S City Grip	140/60-14 64S City Grip		3 3.75
Scarabeo 400 ie	2007	110/70-16 52S TL	150/70-14 66S TL	110/70-16 52S City Grip	150/70-14 66S City Grip		3 4.5
Atlantic 500	2002–2004	120/70-15 56S TL	140/60-14 64S TL	120/70-15 56S City Grip	140/60-14 64S City Grip		
Atlantic 500	2005–2008	120/70-14	140/60-14	120/70-14 55S City Grip	140/60-14 64S City Grip		
Scarabeo 500	2003–2006	110/80-16	140/70-16	110/80-16 55S City Grip	140/70-16 65S City Grip		3 3.75
Scarabeo 500 i.E	2007–2012	110/70-16 52S TL	150/70-14 66S TL	110/70-16 52S City Grip	150/70-14 66S City Grip		3 4.5
ARGO							
AR150-18	2007–2012	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
AR150-2	2007–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
BAJA							
RT50	2010–2012	3.50-10	3.50-10	3.50-10 51J S1 3.50-10 51J S83	3.50-10 51J S1 3.50-10 51J S83		
SC50	2010–2012	3.50-10	3.50-10	3.50-10 51J S1 3.50-10 51J S83	3.50-10 51J S1 3.50-10 51J S83		
BAJAJ							
Chetak	1972–2005	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
DAELIM							
Cordi	2004–2010	90/90-10 TL	90/90-10 TL	90/90-10 50J S1	90/90-10 50J S1		
A-Four	2010	130/90-10	130/90-10	130/90-10 61J Reggae	130/90-10 61J Reggae		
Delfino	1999–2010	100/90-10	100/90-10	100/90-10 56J S1 100/90-10 56J S83	100/90-10 56J S1 100/90-10 56J S83		2.5 2.5
S-Five	2004–2010	120/70-12	130/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		3 3

2012 MICHELIN SCOOTER FITMENT GUIDE (continued)

DAELIM (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
E-Five	2003–2009	130/90-10	130/90-10	130/90-10 61J Reggae 130/90-10 61L Bopper	130/90-10 61J Reggae 130/90-10 61L Bopper		
Besbi	2010–2010	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
S1 125	2008–2009	120/70-12	130/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
S2 125	2006–2010	120/70-12	130/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
S2 250	2006–2010	120/70-12	140/60-13	120/70-12 51P Power Pure SC 120/70-12 51P City Grip	140/60-13 57P Power Pure SC 140/60-13 63P City Grip		
e-MOTO							
G2	2010–2012	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
G3 & L	2010–2012	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
G4	2010–2012	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
ETON							
Beamer III, Beamer 50	2009–2012	120/90-10	130/90-10	120/90-10 57J Reggae 120/90-10 57L Bopper	130/90-10 61J Reggae 130/90-10 61L Bopper		
Sport 50	2009–2012	120/70-12	130/70-12	120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
Matrix 50	2009–2012	120/70-12	130/70-12	120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
Beamer R4-150	2009–2012	120/70-12	130/70-12	120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
Matrix R4-150	2009–2012	120/70-12	130/70-12	120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
Sport 150	2009–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
GENUINE							
Buddy 50	2007–2012	90/90-10 TL	90/90-10 TL	90/90-10 50J S1	90/90-10 50J S1		
Buddy Little International 50	2007–2010	3.50-10 TT	3.50-10 TT	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
Roughhouse R50	2007–2012	120/90-10 TL	130/90-10 TL	120/90-10 57L Bopper 120/90-10 57J Reggae	130/90-10 61L Bopper 130/90-10 61J Reggae		
Rattler 110	2006–2010	120/90-10 TL	130/90-10 TL	120/90-10 57L Bopper 120/90-10 57J Reggae	130/90-10 61L Bopper 130/90-10 61J Reggae		
Buddy 125	2006–2012	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
Buddy International 150	2006–2010	90/90-10 TL	90/90-10 TL	90/90-10 50J S1	90/90-10 50J S1		
Buddy Blackjack 150	2006–2010	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
Stella 150	2003–2012	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
Buddy 170i	2012	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
HONDA							
Metropolitan	2002–2009	90/90-10 TL	90/90-10 TL	90/90-10 50J S1	90/90-10 50J S1		
Ruckus	2002–2012	120/90-10 57J	130/90-10 61J	120/90-10 57L Bopper 120/90-10 57J Reggae	130/90-10 61L Bopper 130/90-10 61J Reggae	3	3.5
Elite 80, 125, 150	1984–2000	3.50-10 3.50-10	3.50-10 3.50-10	3.50-10 59J S83 3.50-10 51J S1	3.50-10 59J S83 3.50-10 51J S1	2.5	2.5
Aero	1983–1985	3.50-10 TL 3.50-10 TL	3.50-10 TL 3.50-10 TL	3.50-10 59J S83 3.50-10 51J S1	3.50-10 59J S83 3.50-10 51J S1		
Big Ruckus	2005–2006	110/90-12 110/90-12	130/70-12 130/70-12	110/90-12 64P Power Pure SC 110/90-12 64P City Grip	130/70-12 62P Power Pure SC 130/70-12 62P City Grip		
Reflex (all types)	2002–2007	110/90-13 110/90-13	130/70-12 130/70-12	110/90-13 56P Power Pure SC 110/90-13 56P City Grip	130/70-12 62P Power Pure SC 130/70-12 62P City Grip	2.15	2.15
Silver Wing 600 / ABS	2001–2012	120/80-14 58S TL	150/70-13 64S TL	120/80-14 58S Power Pure SC	150/70-13 64S Power Pure SC	2.75	4.5
HYOSUNG							
SD 50 Sense	2000–2008	110/80-10 53J TL/TT	110/80-10 53J TL/TT	110/80-10 58J S1	110/80-10 58J S1		
SD 50 Sense	2010–2012	3.5-10 51J	3.5-10 51J	3.50-10 51J S1 3.50-10 51J S83	3.50-10 51J S1 3.50-10 51J S83		
Rally	2005–2012	120/90-10 56J TL 120/90-10 56J TL	130/90-10 70J TL 130/90-10 70J TL	120/90-10 57L Bopper 120/90-10 57J Reggae	130/90-10 61L Bopper 130/90-10 61J Reggae		
JONWAY							
YY50QT-21 (2 and 4 stroke)	2010	120/70-12	130/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
YY50QT-6, YY80QT-6	2010	3.50-10 3.50-10	3.50-10 3.50-10	3.50-10 59J S83 3.50-10 51J S1	3.50-10 59J S83 3.50-10 51J S1		
YY50ZT-5 (2 and 4 stroke)	2010	3.0-10 3.0-10	3.0-10 3.0-10	3.00-10 42J S1 3.00-10 42J S83	3.00-10 42J S1 3.00-10 42J S83		
YY50QT-28, YY125T-28, YY150T-28	2010	130/70-12	130/70-12	130/70-12 56L Bopper	130/70-12 56L Bopper		
YY50QT-10 (2 stroke)	2010	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
YY125T-3, YY150T-3, YY50QT-3	2010	3.50-10	3.50-10	3.50-10 59J S83	3.50-10 59J S83		
	2010	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
YY125T-10, YY150T-10	2010	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
YY250, 250A, 150	2010	110/70-16	140/70-16	110/70-16 52P City Grip	140/70-16 65P City Grip		
YY250T-2	2010	120/70-12	120/90-10	120/70-12 51L Bopper	120/90-10 57L Bopper		
KEEWAY							
F-ACT 50	2008–2012	120/70-12 TL 120/70-12 TL 120/70-12 TL	130/70-12 TL 130/70-12 TL 130/70-12 TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
Flash 50	2008–2009	120/90-10 TL 120/90-10 TL	120/90-10 TL 120/90-10 TL	120/90-10 57L Bopper 120/90-10 57J Reggae	120/90-10 57L Bopper 120/90-10 57J Reggae		
Flash 50	2010–2012	3.50-10 3.50-10	3.50-10 3.50-10	3.50-10 59J S83 3.50-10 51J S1	3.50-10 59J S83 3.50-10 51J S1		

KEEWAY (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
Hurricane 50	2008–2009	120/90-10 TL 120/90-10 TL	120/90-10 TL 120/90-10 TL	120/90-10 57L Bopper 120/90-10 57J Reggae	120/90-10 57L Bopper 120/90-10 57J Reggae		
Hurricane 50	2010–2012	3.50-10 3.50-10	3.50-10 3.50-10	3.50-10 59J S83 3.50-10 51J S1	3.50-10 59J S83 3.50-10 51J S1		
Venus 50	2010–2012	3.0-10 3.0-10	3.0-10 3.0-10	3.00-10 42J S1 3.00-10 42J S83	3.00-10 42J S1 3.00-10 42J S83		
Matrix 50 & 150	2008–2012	120/70-12 TL 120/70-12 TL 120/70-12 TL	130/70-12 TL 130/70-12 TL 130/70-12 TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
ARN 150	2008–2012	120/70-12 TL 120/70-12 TL 120/70-12 TL	130/70-12 TL 130/70-12 TL 130/70-12 TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
Hacker 150	2008–2012	120/70-12 TL 120/70-12 TL 120/70-12 TL	130/70-12 TL 130/70-12 TL 130/70-12 TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
KYMCO							
Sento 50	2010–2012	90/90-10	90/90-10	90/90-10 50J S1	90/90-10 50J S1		
Like 50	2010–2012	120/70-12 120/70-12 120/70-12	130/70-12 130/70-12 130/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
Agility 50 & 125	2005–2012	120/70-12 120/70-12 120/70-12	130/70-12 130/70-12 130/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC	3	3.5
Super 9 50	2001–2009	120/70-12 51J TL 120/70-12 51J TL 120/70-12 51J TL	130/70-12 56J TL 130/70-12 56J TL 130/70-12 56J TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC	3	3.5
Sting 50	2008–2011	120/70-12 51J TL 120/70-12 51J TL 120/70-12 51J TL	130/70-12 56J TL 130/70-12 56J TL 130/70-12 56J TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC	3	3.5
Vitality 50	2004–2005	120/70-12 51J TL 120/70-12 51J TL 120/70-12 51J TL	130/70-12 56J TL 130/70-12 56J TL 130/70-12 56J TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC	3	3.5
Bet & Win 150	2003–2004	120/70-12 120/70-12 120/70-12	130/70-12 130/70-12 130/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC	3	3.5
Like 200i	2011	120/70-12	130/70-12	120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
Downtown 200i & 300i	2012	120/80-14 58S TL	150/70-13 64S TL	120/80-14 58S Power Pure SC	150/70-13 64S Power Pure SC		
People GT 200i	2012	110/70-16 52P TL	140/70-16 65P TL	110/70-16 52P City Grip	140/70-16 65P City Grip	3	3.5
Bet & Win 250	2000–2006	120/70-12	140/70-12	120/70-12 51P Power Pure SC	140/70-12 60P Power Pure SC		
Grandvista 250	2008–2009	120/70-12	140/70-12	120/70-12 51P Power Pure SC	140/70-12 60P Power Pure SC		
People 250 & S	2004–2011	110/70-16 52P TL	140/70-16 65P TL	110/70-16 52P City Grip	140/70-16 65P City Grip	3	3.5
Xciting 250 & 500 (all types)	2005–2012	120/70-15 56S TL	150/70-14 66S TL	120/70-15 56S City Grip	150/70-14 66S City Grip	3.5	4.5
Downtown 300i	2011–2012	120/80-14	150/70-13	120/80-14 58S Power Pure SC	150/70-13 64S Power Pure SC		
LIFAN							
LF50QT-15	2008–2011	3.00-10 3.00-10	3.00-10 3.00-10	3.00-10 42J S1 3.00-10 42J S83	3.00-10 42J S83 3.00-10 42J S1		
LF50QT-2A	2008–2011	3.00-10 3.00-10	3.00-10 3.00-10	3.00-10 42J S1 3.00-10 42J S83	3.00-10 42J S1 3.00-10 42J S83		
MALAGUTI							
F 10	1994–2006	100/80-10 TL	100/80-10 TL	100/80-10 53J S1	100/80-10 53J S1	2.5	2.5
F 15 Firefox	1998–2006	120/70-12 TL 120/70-12 TL 120/70-12 TL	130/70-12 TL 130/70-12 TL 130/70-12 TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC	3.5	3.5
Yesterday	1998–2005	100/90-10 100/90-10 100/90-10	100/90-10 100/90-10 100/90-10	100/90-10 56J S83 100/90-10 56J S1	100/90-10 56J S83 100/90-10 56J S1	2.5	2.5
F 15 Firefox 50	2010	120/70-12 TL 120/70-12 TL 120/70-12 TL	130/70-12 TL 130/70-12 TL 130/70-12 TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
F 10 WAP 50	2010	100/80-10 TL	100/80-10 TL	100/80-10 53J S1	100/80-10 53J S1		
METRO							
Duo, Duo Turbo	2008–2009	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
Sport, Sport Turbo	2008–2009	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
MOTORINO							
Xpa, XpC, XPd, XPh, Xpi, XpN, XPr, XPs, XPv	2010–2012	3.50-10	3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
PANTERRA							
Fusion	2010	3.0-10	3.0-10	3.0-10 42J S1 3.0-10 42J S83	3.0-10 42J S1 3.0-10 42J S83		
Freedom	2010	3.0-10	3.0-10	3.0-10 42J S1 3.0-10 42J S83	3.0-10 42J S1 3.0-10 42J S83		
Retro	2010	3.0-10	3.0-10	3.0-10 42J S1 3.0-10 42J S83	3.0-10 42J S1 3.0-10 42J S83		
PEIRSPEED							
Key West 50	2010	120/90-10	120/90-10	120/90-10 57L Bopper	120/90-10 57L Bopper		
Laser R5i	2010	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
PIAGGIO							
Diesis 50 & 100	2002–2003	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Fly 50, 100, 125, 150	2005–2009	120/70-12 TL	120/70-12 TL	120/70-12 51L Bopper	120/70-12 51L Bopper	3	3
Fly 50, 150	2010–2012	120/70-12 TL	120/70-12 TL	120/70-12 51L Bopper	120/70-12 51L Bopper		
NSR 50	1995	100/80-10 52J TL/TT	110/80-10 58L TL/TT	100/80-10 53J S1	110/80-10 58J S1	2.5	2.5
NTT 50	1996	120/90-10 TL 120/90-10 TL	120/90-10 TL 120/90-10 TL	120/90-10 57L Bopper 120/90-10 57J Reggae	120/90-10 57L Bopper 120/90-10 57J Reggae		
PK 50, 80, 125	1990–1996	3.00-10 3.00-10	3.00-10 3.00-10	3.00-10 42J S83 3.00-10 42J S1	3.00-10 42J S83 3.00-10 42J S1		
Quartz 50	1994–1996	100/80-10 TL	100/80-10 TL	100/80-10 53J S1	100/80-10 53J S1	2.5	2.5
RST 50	1996	100/80-10 TL	110/80-10 TL	100/80-10 53J S1	110/80-10 58J S1	2.5	2.5
Skipper 80	1994–1996	100/80-10 TL	110/80-10 TL	100/80-10 53J S1	110/80-10 58J S1	2.5	2.5
Sfera 50 & 80	1991–1995	90/90-10 TL	100/80-10 TL	90/90-10 50J S1	100/80-10 53J S1	2.15	2.5
Sfera 50 & 80	1996	100/80-10 TL	110/80-10 TL	100/80-10 53J S1	110/80-10 58J S1	2.5	2.5


2012 MICHELIN SCOOTER FITMENT GUIDE (continued)

PIAGGIO (continued)	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
Typhoon 50 & 80	1994-2009	120/90-10 TL	120/90-10 TL	120/90-10 57L Bopper	120/90-10 57L Bopper		
		120/90-10 TL	120/90-10 TL	120/90-10 57J Reggae	120/90-10 57J Reggae		
VA & XL 50	1991-1994	3.00-10	3.00-10	3.00-10 42J S83	3.00-10 42J S83		
		3.00-10	3.00-10	3.00-10 42J S1	3.00-10 42J S1		
Zip 50	1993-1996	90/90-10 TL	90/90-10 TL	90/90-10 50J S1	90/90-10 50J S1		2.15 2.15
Zip 50	1997-2000	100/80-10	100/80-10	100/80-10 53J S1	100/80-10 53J S1		2.5 2.5
Zip 50 Fast Rider	1994-1996	90/90-10 TL	100/80-10 TL	90/90-10 50J S1	100/80-10 53J S1		2.15
Zum 50	1991-1994	3.00-10	3.00-10	3.00-10 42J S1	3.00-10 42J S1		
		3.00-10	3.00-10	3.00-10 42J S83	3.00-10 42J S83		
Hexagon LX 125	1996-1998	110/80-10 TL	130/70-10 TL	110/80-10 58J S1	130/70-10 62J S1		2.5 3
Beverly 125	2001-2007	110/70-16 52P TL	140/70-16 65P TL	110/70-16 52P City Grip	140/70-16 65P City Grip		3 3.5
Skipper ST 125 & 150	1999-2004	120/70-12 TL	130/70-12 TL	120/70-12 51L Bopper	130/70-12 56L Bopper		3.5 3.5
		120/70-12 TL	130/70-12 TL	120/70-12 51P City Grip	130/70-12 56P City Grip		
T5	1984-1996	3.50-10	3.50-10	3.50-10 59J S83	3.50-10 59J S83		2.1 2.1
		3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
X7 125 & 250	2008-2009	120/70-14	140/60-13	120/70-14 55P City Grip	140/60-13 63P City Grip		3.5 3.5
X8 125, 150, 200 & 250	2004-2007	120/70-14 55P TL	130/70-12 62P Reinf. TL	120/70-14 55P City Grip	130/70-12 62P City Grip		3.5 3
X9 125	2001-2006	120/70-14	140/60-14	120/70-14 55P City Grip	140/60-14 64P City Grip		3.5 3.5
Hexagon LX 150	1995-2000	110/80-10 TL	130/70-10 TL	110/80-10 58J S1	130/70-10 62J S1		3 3
X9 180 Amalfi	2001-2002	120/70-14	140/60-14	120/70-14 55P City Grip	140/60-14 64P City Grip		3.5 3.5
Cosa 200	1989-1996	100/90-10 TL	100/90-10 TL	100/90-10 56J S83	100/90-10 56J S83		
		100/90-10 TL	100/90-10 TL	100/90-10 56J S1	100/90-10 56J S1		
Beverly 200	2001-2003	110/70-16 52P TL	140/70-16 65P TL	110/70-16 52P City Grip	140/70-16 65P City Grip		3 3.5
Beverly 250	2005-2009	110/70-16 52P TL	140/70-16 65P TL	110/70-16 52P City Grip	140/70-16 65P City Grip		3 3.5
MP3 250 ie	2007-2009	120/70-12 51P TL	130/70-12 62P Reinf. TL	120/70-12 51P Power Pure SC	130/70-12 62P Power Pure SC		3 3
		120/70-12 51P TL	130/70-12 62P Reinf. TL	120/70-12 51P City Grip	130/70-12 62P City Grip		
MP3 250	2010-2012	120/70-12 51P TL	130/70-12 62P Reinf. TL	120/70-12 51P Power Pure SC	130/70-12 62P Power Pure SC		
		120/70-12 51P TL	130/70-12 62P Reinf. TL	120/70-12 51P City Grip	130/70-12 62P City Grip		
X9 250	2000-2003	120/70-14 55P TL	140/60-13 63P Reinf. TL	120/70-14 55P City Grip	140/60-13 63P City Grip		3.5 3.5
X9 250	2006	120/70-14	140/60-14	120/70-14 55P City Grip	140/60-14 64P City Grip		3.5 3.5
BV Tourer 250	2010-2011	110/70-16 52P TL	140/70-16 65P TL	110/70-16 52P City Grip	140/70-16 65P City Grip		
BV Tourer 300	2012	110/70-16 52P TL	140/70-14 68S TL	110/70-16 52P City Grip	140/70-14 68S City Grip		
Beverly 400 ie	2007	110/70-16 52S TL	150/70-14 66S TL	110/70-16 52S City Grip	150/70-14 66S City Grip		3 4.5
MP3 400 ie	2007-2009	120/70-12 51S TL	140/70-14 68S Reinf. TL	120/70-12 51S City Grip	140/70-14 68S City Grip		
MP3 400	2010-2012	120/70-12 51S TL	140/70-14 68S Reinf. TL	120/70-12 51S City Grip	140/70-14 68S City Grip		
X8 400 ie	2007	120/70-14 55P TL	140/70-14 68S Reinf. TL	120/70-14 55P City Grip	140/70-14 68S City Grip		3.5 4.5
Beverly 500	2002-2009	110/70-16 52S TL	150/70-14 66S TL	110/70-16 52S City Grip	150/70-14 66S City Grip		3 4.5
MP3 500	2007-2012	120/70-12 51S TL	140/70-14 68S	120/70-12 51S City Grip	140/70-14 68S City Grip		3 4.5
X9 500	2001-2007	120/70-14 55S TL	150/70-14 66S TL	120/70-14 55S City Grip	150/70-14 66S City Grip		3.5 4.5
		120/70-14 55S TL	150/70-14 66S TL	120/70-14 55S Power Pure SC	150/70-14 66S Power Pure SC		
BV Tourer 500	2010-2012	110/70-16 52P TL	150/70-14 66S TL	110/70-16 52S City Grip	150/70-14 66S City Grip		
PUMA CYCLES							
Angel 50, Beyond 50, Roadstar 50, Amor 50, Romeo 50, Juliet 50, Songbird 50	2010-2012	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
				3.50-10 51J S83	3.50-10 51J S83		
La Vida 50	2010-2012	3.0-10	3.0-10	3.00-10 42J S1	3.00-10 42J S1		
				3.00-10 42J S83	3.00-10 42J S83		
Freebird 150	2010-2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Roadstar 150, Romeo 150, Juliet 150, Songbird 150, Amstar 150	2010-2012	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
				3.50-10 51J S83	3.50-10 51J S83		
ROKETA							
MC-01-50, MC-02B-50, Bahama 50, MC-16-50, Sicily 50, MC-108-50	2010-2012	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
				3.50-10 51J S83	3.50-10 51J S83		
MC-98-50	2010-2012	3.00-10	3.00-10	3.00-10 42J S1	3.00-10 42J S1		
				3.00-10 42J S83	3.00-10 42J S83		
Capri 150, MC-16K-150, MC-16T-150, Sicily 150, MC-20-150, MC-71-150	2010-2012	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
				3.50-10 51J S83	3.50-10 51J S83		
MC-80-150	2010-2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
MC-14-250	2010	130/70-12	130/70-12	130/70-12 56L Bopper	130/70-12 56L Bopper		
SCHWINN							
Laguna 50, Hope 50, Newport 50	2005-2012	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
		3.50-10	3.50-10	3.50-10 51J S83	3.50-10 51J S83		
Sport 50, Valo 50	2008-2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Newport 150, Hope 150	2008-2012	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
		3.50-10	3.50-10	3.50-10 51J S83	3.50-10 51J S83		
Valo 150	2011-2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
SUNDIRO							
SkyBreeze ARN 150	2008-2012	120/70-12	130/70-12	120/70-12 51P City Grip	130/70-12 56P City Grip		
				120/70-12 51P Power Pure SC	130/70-12 56P Power Pure SC		
SUZUKI							
AN 400 Burgman	1999-2005	110/90-13	130/70-13	110/90-13 56P City Grip	130/70-13 63P City Grip		3 3.5
				110/90-13 56P Power Pure SC	130/70-13 63P Power Pure SC		
AN 400 Burgman and ABS	2006-2012	120/80-14 58S TL	150/70-13 64S TL	120/80-14 58S Power Pure SC	150/70-13 64S Power Pure SC		
Burgman 650	2002-2009	120/70R15 56H	160/60R14 65H	120/70R15 56H Pilot Sport SC Radial	160/60R14 65H Pilot Sport SC Radial		
Burgman 650 Exec	2008-2012	120/70R15 56H	160/60R14 65H	120/70R15 56H Pilot Sport SC Radial	160/60R14 65H Pilot Sport SC Radial		
SYM							
Jet Euro 50	2008-2012	120/70-12 TL	130/70-12 TL	120/70-12 51L Bopper	130/70-12 56L Bopper		3.5 3.5
		120/70-12 TL	130/70-12 TL	120/70-12 51P City Grip	130/70-12 56P City Grip		
		120/70-12 TL	130/70-12 TL	120/70-12 51P Power Pure SC	130/70-12 56P Power Pure SC		
Mio 50	2008-2012	3.00-10 42J	90/90-10 50J	3.00-10 42J S1	90/90-10 50J S1		
SYMply 50	2008-2012	120/70-12	130/70-12	120/70-12 51L Bopper	130/70-12 56L Bopper		
		120/70-12	130/70-12	120/70-12 51P City Grip	130/70-12 56P City Grip		
		120/70-12	130/70-12	120/70-12 51P Power Pure SC	130/70-12 56P Power Pure SC		
Fiddle II 50	2010-2012	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
		3.50-10	3.50-10	3.50-10 51J S83	3.50-10 51J S83		
Fiddle II 125	2010-2012	3.50-10	3.50-10	3.50-10 51J S1	3.50-10 51J S1		
		3.50-10	3.50-10	3.50-10 51J S83	3.50-10 51J S83		
RV 250	2006-2012	110/90-13 56P	130/70-13 63P	110/90-13 56P City Grip	130/70-13 63P City Grip		
		110/90-13 56P	130/70-13 63P	110/90-13 56P Power Pure SC	130/70-13 63P Power Pure SC		
Citycom 300i	2008-2012	110/70-16 52P TL	140/70-16 65P TL	110/70-16 52P City Grip	140/70-16 65P City Grip		

TAOTAO	Year	OE Front	OE Rear	Michelin Front	Michelin Rear	Tube F/R	Rim F/R
ATE-501, ATE-502	2010–2011	3.0-10	3.0-10	3.00-10 42J S83 3.00-10 42J S1	3.00-10 42J S83 3.00-10 42J S1		
Funny 50, Rainbow 50, Speedy 50	2012	3.0-10	3.0-10	3.00-10 42J S83 3.00-10 42J S1	3.00-10 42J S83 3.00-10 42J S1		
PowerMax 150, Roman 50, Retro 50	2010–2012	120/70-12	120/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip	130/70-12 56L Bopper 130/70-12 56P City Grip		
CY150, CY150-B	2010–2012	120/70-12	120/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
CY150-E	2012	3.50-10 3.50-10	3.50-10 3.50-10	3.50-10 51J S1 3.50-10 51J S83	3.50-10 51J S1 3.50-10 51J S83		
TANK							
Urban 50, Sporty 50	2008–2009	3.50-10 3.50-10	3.50-10 3.50-10	3.50-10 51J S1 3.50-10 51J S83	3.50-10 51J S1 3.50-10 51J S83		
Sporty 150	2008–2009	120/70-12 120/70-12 120/70-12	130/70-12 130/70-12 130/70-12	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC		
TOMOS							
Nitro 50, 150	2008–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Velo 150	2008–2012	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
Arrow R	2010	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
VENTO							
Triton LI	2007	120/70-12	120/70-12	120/70-12 51L Bopper	120/70-12 51L Bopper		
VESPA							
PX 125	1984–2007	3.50-10	3.50-10	3.50-10 59J S83 3.50-10 51J S1	3.50-10 59J S83 3.50-10 51J S1	2.1	2.1
PX 150	1998–2007	3.50-10	3.50-10	3.50-10 59J S83 3.50-10 51J S1	3.50-10 59J S83 3.50-10 51J S1	2.1	2.1
PX 200	1984–2004	3.50-10	3.50-10	3.50-10 59J S83 3.50-10 51J S1	3.50-10 59J S83 3.50-10 51J S1	2.1	2.1
GT 200L	2004–2006	120/70-12 TL	130/70-12 62P Reinf. TL	120/70-12 51P City Grip	130/70-12 62P City Grip	3	3
GTV 250	2006–2010	120/70-12 TL 120/70-12 TL	130/70-12 62P Reinf. TL 130/70-12 62P Reinf. TL	120/70-12 51P Power Pure SC 120/70-12 51P City Grip	130/70-12 62P Power Pure SC 130/70-12 62P City Grip		
GTV 300	2010–2012	120/70-12 TL 120/70-12 TL	130/70-12 62P Reinf. TL 130/70-12 62P Reinf. TL	120/70-12 51P Power Pure SC 120/70-12 51P City Grip	130/70-12 62P Power Pure SC 130/70-12 62P City Grip		
GTS 250 ie	2006–2010	120/70-12 TL 120/70-12 TL	130/70-12 62P Reinf. TL 130/70-12 62P Reinf. TL	120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 62P City Grip 130/70-12 62P Power Pure SC		
GTS 300 & Super	2010–2012	120/70-12 TL 120/70-12 TL	130/70-12 62P Reinf. TL 130/70-12 62P Reinf. TL	120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 62P City Grip 130/70-12 62P Power Pure SC		
YAMAHA							
Jog	1988–1991	3.00-10 3.00-10	3.00-10 3.00-10	3.00-10 42J S83 3.00-10 42J S1	3.00-10 42J S83 3.00-10 42J S1		
Zuma 50	1997–2011	120/90-10 TL 120/90-10 TL	130/90-10 TL 130/90-10 TL	120/90-10 57L Bopper 120/90-10 57J Reggae	130/90-10 61L Bopper 130/90-10 61J Reggae	3.5	3.5
Zuma 50F	2012	120/90-10 TL 120/90-10 TL	120/90-10 TL 120/90-10 TL	120/90-10 57L Bopper 120/90-10 57J Reggae	120/90-10 57L Bopper 120/90-10 57J Reggae		
C3	2007–2011	120/90-10 57J TL 120/90-10 57J TL	120/90-10 57J TL 120/90-10 57J TL	120/90-10 57L Bopper 120/90-10 57J Reggae	120/90-10 57L Bopper 120/90-10 57J Reggae		
Vino Classic	1996–2011	90/90-10 TL	90/90-10 TL	90/90-10 50J S1	90/90-10 50J S1		
Riva 80, 125 & 180	1983–1986	3.50-10 3.50-10	3.50-10 3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
Vino 125	2004–2011	3.50-10 3.50-10	3.50-10 3.50-10	3.50-10 51J S83 3.50-10 51J S1	3.50-10 51J S83 3.50-10 51J S1		
Zuma 125	2009–2012	120/70-12 TL 120/70-12 TL 120/70-12 TL	130/70-12 TL 130/70-12 TL 130/70-12 TL	120/70-12 51L Bopper 120/70-12 51P City Grip 120/70-12 51P Power Pure SC	130/70-12 56L Bopper 130/70-12 56P City Grip 130/70-12 56P Power Pure SC	3	3.5
Riva 200 & Z	1987–1991	4.00-10 4.00-10	4.00-10 4.00-10	120/90-10 57L Bopper 120/90-10 57J Reggae	120/90-10 57L Bopper 120/90-10 57J Reggae	3	3
Majesty 400	2004–2012	120/80-14 58S TL	150/70-13 64S TL	120/80-14 58S Power Pure SC	150/70-13 64S Power Pure SC	3	4
TMAX 500	2009–2011	120/70R15 56H	160/60R15 67H TL	120/70R15 56H Pilot Sport SC Radial	160/60R15 67H Pilot Sport SC Radial		

MICHELIN MOTOCROSS & OFF-ROAD TIRE SIZING

Due to differences in measurement methods, some MICHELIN® off-road tires are marked differently from the equivalent sizes offered by other manufacturers. These charts indicate which MICHELIN® tires use non-standard markings, and their equivalents under the sizing system currently in use.



IF YOUR BIKE USES:	MICHELIN MARKING	TIRES WITH NON-STANDARD MARKINGS	TUBE
80/100-21, 3.00-21 front	90/90-21	S12 XC, M12 XC, Desert	21MD, 21MDR or 21UHD
100/100-18, 4.00-18, 4.10-18 rear	120/90-18	S12 XC, M12 XC	18MFR or 18UHD
110/100-18, 4.60-18, 5.10-18 rear	130/80-18	S12 XC, M12 XC	18MFR or 18UHD
120/90-18, 5.10-18 rear	140/80-18	S12 XC, Desert Race	18MFR or 18UHD
100/90-19 rear	120/80-19	S12 XC, M12 XC	19MF, 19MFR or 19UHD
110/90-19 rear	130/70-19	S12 XC, M12 XC	19MER or 19UHD

BY DISPLACEMENT:	MICHELIN MARKING	STANDARD SIZING
50cc		2.50-10 front/rear 2.75-10 rear 2.50-12 front
65cc		60/100-14 front 80/100-12 rear
85cc		70/100-17 front 90/100-14 rear
85-100cc		70/100-19 front 90/100-16 rear
125-650cc	90/90-21 front	80/100-21 front
125-250cc	120/90-18 rear	100/100-18 rear
250-650cc	130/80-18 rear	110/100-18 rear
250-650cc	140/80-18 rear	120/90-18 rear
125-250cc	120/80-19 rear	100/90-19 rear
250-650cc	130/70-19 rear	110/90-19 rear

HOW TO READ A TIRE SIDEWALL



REAR Direction of rotation for rear tire, indicated by an arrow on the tire sidewall

180 Maximum external width of the tire, expressed in millimeters

55 Aspect ratio, the cross-sectional height divided by the tire width

R Radial construction

17 Bead-seat diameter of the wheel, expressed in inches (1 inch = 2.54 cm)

M/C Tire for motorcycles or scooters

73 Load index, i.e., 73 corresponds to a load of 805 pounds (365 kg) per tire

W Speed rating, i.e. (W) corresponds to a speed in excess of 168 mph (270 km/h)

Pilot Road 2 The tire's model name

MICHELIN Tire manufacturer

MADE IN SPAIN Country of manufacture

TUBELESS No tube is used, when mounted on a tubeless rim; abbreviated 'TL'

TUBE-TYPE Tire or wheel requiring an inner tube; abbreviated 'TT'

LOAD INDEX & SPEED RATING

ISO (International Standards Organization) LOAD INDEX/SPEED INDEX: This code, when present, appears after the size marking. The code comprises three characters: two numbers and a letter, e.g 67 H, known as a service description. The two-digit number is a code for the maximum load carrying capacity of the tire. The letter is a maximum speed rating indicating the maximum speed at which the tire may be used with maximum load when the maximum listed inflation pressure is used. The load index/speed symbol indicates the speed at which the tire can carry a load corresponding to its load index under conditions specified by the tire manufacturer. **MICHELIN DOES NOT CONDONE THE USE OF ANY OF ITS D.O.T. APPROVED-FOR-HIGHWAY-USE PRODUCTS IN EXCESS OF LEGAL SPEED LIMITS.**

LOAD INDEX

Code	lb	kg	Code	lb	kg	Code	lb	kg	Code	lb	kg
30	234	106	48	397	180	66	661	300	84	1102	500
31	240	109	49	408	185	67	677	307	85	1135	515
32	247	112	50	419	190	68	694	315	86	1168	530
33	254	115	51	430	195	69	716	325	87	1202	545
34	260	118	52	441	200	70	739	335	88	1235	560
35	267	121	53	454	206	71	761	345	89	1279	580
36	276	125	54	467	212	72	783	355	90	1323	600
37	282	128	55	481	218	73	805	365	91	1356	615
38	291	132	56	494	224	74	827	375	92	1389	630
39	300	136	57	507	230	75	853	387	93	1433	650
40	309	140	58	520	236	76	882	400	94	1477	670
41	320	145	59	536	243	77	908	412	95	1521	690
42	331	150	60	551	250	78	937	425	96	1565	710
43	342	155	61	567	257	79	963	437	97	1609	730
44	353	160	62	584	265	80	992	450	98	1653	750
45	364	165	63	600	272	81	1019	462	99	1709	775
46	375	170	64	617	280	82	1047	475	100	1764	800
47	386	175	65	639	290	83	1074	487			

SPEED RATING

Letter	Maximum Speed
	kph mph
J	100 62
K	110 68
L	120 75
M	130 81
N	140 87
P	150 93
Q	160 99
R	170 106
S	180 112
T	190 118
H	210 130
V	240 149
(V)	>240 >149
W	270 168
(W)	>270 >168

MICHELIN® motorcycle tires are designed and manufactured to help provide quality performance under a variety of conditions. To achieve the desired level of performance, it is necessary to use the tires as recommended. Following the procedures in your motorcycle's owners manual can help you maximize performance and comfort from your MICHELIN® tire-equipped motorcycle.

Tire Size Selection

Motorcycles should be equipped with the size of tire specified by the motorcycle manufacturer or the Michelin fitment guide.

THE ONLY RECOMMENDED SIZES ARE THOSE THAT ARE LISTED BY THE MOTORCYCLE MANUFACTURER OR THE MICHELIN FITMENT GUIDE.

Do not mount tires wider or narrower than the original-equipment tires, either of which could negatively affect the motorcycle's handling. The choice of a tire that does not strictly conform to the original-equipment specifications for a particular bike must be validated by a professional technician.

Never use a tire that is not inflated to the correct pressure, in excess of its indicated speed rating, or with a load that exceeds its load index

Mounting New and Oversized Tires

Whenever a new tire or one that is larger than the original equipment size is mounted, be sure to check for proper clearance on both front and rear wheels. Extreme care must be taken to ensure that no part of the machine, such as fender mount bolts, electrical wiring, luggage rack mounts, chain or drive shaft housing, etc., comes in contact with the tire. Clearance must be checked with the suspension fully compressed. Tire growth resulting from normal bias-ply tire construction, and centrifugal force due to high-speed operation can also cause interference with motorcycle parts. Insufficient clearance can result in severe tire damage that could cause an accident. After having installed new tires, a break-in period of several miles should be observed. Rapid acceleration and/or hard cornering should be avoided during this period.

Radial Passenger Car Tires on Motorcycles

The use of passenger car radial tires is not recommended for motorcycles. Tires designed for passenger cars can be dangerous when used on motorcycles and motorcycles with sidecars, as bead seat diameters of motorcycle rims and passenger rims are different.

Wheel/Rim Changes

Changing to rim diameters and/or rim widths that are not supplied as original equipment on the motorcycle can adversely affect the handling characteristics of the motorcycle. It is recommended that the manufacturer of the motorcycle be contacted regarding this area. In addition, the use of wheels and rims that are not supplied as original equipment can cause damage to the tire if proper machine clearances are not maintained.

Wear and Deterioration

Do not allow the tires to wear smooth before replacing them. MICHELIN® motorcycle tires have wear indicators—smooth sections appear in the tread grooves, across the tread, when the remaining tread depth is only .8mm (1/32 inch) **Note:** The federal regulation is 1/32 inch. However, some states, New York and Texas for example, have a 1/16-inch requirement for motorcycle tires. Tread wear indicators identify when the tire is worn out and needs to be replaced. Check the condition of the tires regularly and replace them when necessary.

Main Factors Governing Tire Life/Mileage:

- Load
- Running Speed
- Wheel Condition
- Wheelspin
- Inflation Pressure
- Riding Style
- Proper Storage
- Temperature
- Mounting
- Nature of Road Surface

Storage

Tires contain waxes and emollients to protect their outer surfaces from ozone and weather checking. As the tire rolls and flexes, the waxes and emollients continually migrate to the surface, replenishing this protection throughout the normal use of the tire. Consequently, when tires sit outdoors, unused for long periods of time (a month or more) their surfaces become dry and more susceptible to ozone and weather checking and the casing becomes susceptible to flat spotting.

For this reason, tires should always be stored in a cool, dry, clean, indoor environment. If storage is for one month or more, eliminate the weight from the tires by raising the vehicle or by removing the

tires from the vehicle. Failure to store tires in accordance with these instructions could result in damage to your tires or premature aging of the tires and sudden tire failure.

When tires are stored, be sure they are placed away from sources of heat and ozone such as hot pipes and electric generators. Be sure that surfaces on which tires are stored are clean and free from grease, gasoline or other substances which could deteriorate the rubber. **(Tires exposed to these materials during storage or driving could be subject to sudden failure.)**

Mounting and Demounting of Motorcycle Tires

- Mount the tire only on the rim for which it is designed.
- Always mount and demount tires under clean conditions.
- Avoid working in direct contact with the ground.
- Use rims that are clean and in good condition.
- Use good-quality tire levers or a mounting machine from a reputable manufacturer.
- Use a good lubricant such as Myers, Ruglyde, or equivalent.
- A good lubricant can be made from ingredients that will not react with rubber. It should be reasonably slippery and fast-drying. Tire lubricants should not remain slippery when dry. **UNDER NO CIRCUMSTANCES** should petroleum-based materials such as oil, gasoline, kerosene, grease or spirits be used as a tire lubricant. Tire lubricant should also be used when demounting tires.

Mounting of Tubeless Tires

1. Inspect wheel for any corrosion and/or burrs. Such corrosion and/or burrs must be removed. (Most motorcycle manufacturers recommend that any wheels with a scratch of 0.5mm/0.02 inches in depth or lateral or radial run out exceeding 2.0mm/0.08 inches not be used.) The wheel must be wiped clean of any foreign matter. Also, inspect the inside of the tire to make sure no foreign matter is left in the tire.
2. Most tires have a directional arrow molded on the sidewall. When mounting these tires, care should be taken to ensure that these arrows are pointed in the direction of rotation on both front and rear wheels. For racing tires, consult your Michelin motorcycle tire distributor/dealer for rotation information.
3. Lubricate both beads and bead seats of the rim prior to mounting. Place the first bead on wheel starting opposite the valve. This procedure can normally be done without the use of tire levers.
4. To mount the second bead, place the hooked end of the tire levers opposite the valve stem, starting the bead onto the wheel at this point of the wheel's circumference.
5. Continue working around the wheel, taking small sections at a time, pushing the beads as far as possible into the drop center of the rim. End at the valve stem.
6. Remove the valve core from the valve stem. Inflate to 60 psi maximum. Make sure that the beads are seated properly. Determine if tire is properly seated by observing the guide ribs in relation to the wheel, making sure they are not eccentric. Guide ribs are raised narrow ribs of rubber on the lower tire sidewall.
7. Replace the valve core and inflate to operating pressure. Replace the valve cap. **TO ENSURE PROPER TIRE BEAD SEATING, REPEAT THE ABOVE PROCEDURE. IMPROPER BEAD SEATING WILL UNBALANCE THE TIRE WHEEL ASSEMBLY AND NO AMOUNT OF BALANCING WILL ALLOW AN IMPROPERLY SEATED TIRE TO RUN SMOOTHLY.**
8. Balance the tire/wheel assembly.

Tubeless Tires and Tubes: Warnings

1. MICHELIN PROHIBITS THE USE OF INNER TUBES IN:
 - MICHELIN® Power One™ radial production racing tires
 - MICHELIN® Power Pure™, Pilot® Power and Pilot® Power 2CT performance street radial tires
 - MICHELIN® Pilot® Road 3 and Pilot® Road 2 sport touring street radial tires
 - MICHELIN® Scorcher® “11” cruiser/custom tires
- WHEN MOUNTED ON TUBE-TYPE RIMS, INNER TUBES MAY BE USED IN:
- MICHELIN® Pilot® Activ street/sport tires
 - MICHELIN® Scorcher® “31” cruiser/custom tires
 - MICHELIN® Anakee® 2 dual-purpose tires

(continued on next page)

2. DO NOT USE ANY TUBE IN ANY TIRE WHEN MOUNTED ON A TUBELESS RIM OR WHEEL, AS THE INTERNAL SHAPE OF TUBELESS RIMS/WHEELS CAN DAMAGE AN INNER TUBE AND CAUSE A DEFLATION.

Demounting of Tubeless Tires

1. Deflate tire by removing valve cap and valve core.
2. Break the bead by placing the flat end of the tire levers between the rim flange and the tire bead at the valve. Work all the way around the tire. Repeat the process on the other side of the tire. The use of a proper bead breaker tool will greatly facilitate this step.
3. Remove the first bead by lubricating the bead and placing the hooked end of the tire levers under the tire bead starting at the valve, continue around the tire until the first bead is removed from the rim.
4. To remove the second tire bead from the rim turn the wheel over. Place the hooked end of the tire lever under the second bead and behind the rim and push forward to remove the bead. Lubrication will facilitate this step.

Mounting of Tube-Type Tires

1. On spoked wheels, use rim bands of the correct size to protect the tube from the spoke heads. Use good quality, rubber rim bands with beveled edges. (Plastic bands are not recommended.)
2. Use a new MICHELIN® inner tube with a new tire. USE **ONLY THE CORRECT SIZE OF TUBE. THE USE OF OVERSIZED TUBES IN ANY TIRES IS NOT RECOMMENDED. TUBES THAT ARE LARGER THAN RECOMMENDED CAN FOLD WHEN INSTALLED INSIDE THE TIRE. THESE FOLDS CAN EVENTUALLY WEAKEN AND CAUSE A DEFLATION.**
3. Inspect the wheel for damage, burrs and corrosion. Any burrs or corrosion must be removed. Using a clean cloth, clean both rim flanges and bead seats. Remove any foreign material from the tire and inspect the rim band for cracks or damage. If the rim band is not in good condition, replace it.
4. Inflate the tube enough to round it off, then place it in the tire. A small amount of talcum powder may be used either on the inside of the tire or the outside of the tube. This will assist in helping the tube position itself in the tire during final inflation.
5. Lubricate the bottom bead prior to mounting on the rim. Be careful not to use an excessive amount of lubricant as it may become trapped between the tube and the tire carcass.
6. Place the first bead on the rim starting opposite the valve hole. This can usually be done without the use of the tire levers. Insert the valve stem through the valve hole and place the retaining nut loosely on the stem—two or three turns should be sufficient.
7. Lubricate the second bead of the tire and place the hooked end of the tire levers opposite the valve.
8. Work around the rim taking small sections at a time with the levers. At the same time, push the tire into the drop well of the rim. As you approach the valve stem, push the stem as far as possible into the tire to prevent the valve base from being caught or pinched under the tire bead.
9. Make sure the valve stem is straight and free to move. Slowly inflate the tire to 50 psi MAXIMUM. Visually check the tire bead area using the raised guide ribs found circumferentially on the tire sidewalls to determine if they parallel the rim flange. They should not be eccentric.
10. Deflate the tire to let it and the tube relax. Reinflate the tire to its proper operating pressure. Replace the valve cap.
11. Balance the assembly.

Demounting of Tube-Type Tires

1. Deflate tire by removing valve cap, valve core, and nut.
2. Break the bead by placing the flat end of the tire levers between the rim flange and the tire bead at the valve. Work all the way around the tire. Repeat the process on the other side of the tire.
3. Remove the first bead by lubricating the bead and placing the hooked end of the tire levers, again starting at the valve, under the tire bead. Continue around the tire until the first bead is removed from the rim.
4. Remove the tube starting opposite the valve stem. This will help in the

removal of the valve stem from the rim base.

5. To remove the second tire bead from the rim turn the wheel over. Place the hooked end of the tire lever under the second bead and behind the rim and push forward to remove the bead. Lubrication will facilitate this step.

Inflation: Precautionary Measures

1. Modern methods of inflation allow high pressures to be reached quickly. Where air reservoir tanks are used, we recommend that the pressure regulator valve be set to 60 psi for the inflation of motorcycle tires. Periodically drain your air tank to ensure a clean air supply.
2. Michelin recommends the tire pressure quoted by the motorcycle manufacturer, except where otherwise stated.
3. When the tire is mounted, take the following precautions to avoid trapping air between the inner tube (where applicable) and the tire while inflating:
 - push the valve into the wheel (where a tube is used).
 - inflate slowly without removing the valve core.
 - use the inflation pressure recommended by the motorcycle manufacturer.
4. Check inflation pressures on both tires at least once a month, before riding, when tires are cold (at ambient temperature). Riding even for a short distance causes tires to heat up and air pressure to increase. **DO NOT BLEED AIR FROM HOT TIRES.**

Failure to maintain the correct inflation pressure may result in improper motorcycle handling, rapid and irregular tire wear, or sudden tire destruction.

5. For sustained high-speed riding, front and rear tire pressures should be increased to the maximum pressure recommended by the motorcycle manufacturer for high-speed riding. Do not exceed the maximum pressure indicated on the tire sidewall.
6. Increase the pressure of the rear tire to that recommended by the motorcycle manufacturer when the motorcycle is used with a passenger or a substantial amount of luggage.
7. The proper inflation pressures for your motorcycle tires are shown in your motorcycle owners manual. Unless otherwise stated, these pressures are for motorcycles ridden at normal highway speeds without passengers. Exceeding the safe, legal speed limit is neither recommended nor endorsed.

Inflation pressure measurements are only as accurate as your gauge. IT IS VERY IMPORTANT TO MAKE SURE THAT THE TIRE PRESSURE GAUGE YOU ARE USING IS ACCURATE.

Underinflation

Never use your motorcycle when tires are underinflated. This will cause improper handling that may result in an accident. The only way to determine if a tire is properly inflated is to check air pressures with an accurate tire pressure gauge when tires are cold (at ambient air temperature).

Underinflation can also allow a tire to rotate on the wheel. In a tube-type assembly, this can cause the valve stem to be pulled from the tube, resulting in a rapid deflation. Loss of control of the motorcycle may result, causing possible damage, injury, or both. By not screwing the valve nut all the way down to the base of the rim, you will allow the valve to tilt freely in the event of a tire rotation on the rim. This will help give you a warning so that the cause of this irregularity may be determined and corrected.

Balancing the Tire and Wheel

1. Inspect the wheel to make sure that all previously used balance weights have been removed. This is a good time to re-check the tire and wheel assembly to make certain the tire is properly seated and concentric on the rim. Make sure a valve cap is installed.
2. Lightly spin the assembly on a balance stand and allow the assembly to come to rest naturally. Using a crayon or similar marking device, mark the topmost location of the wheel. This will indicate the lightest point of the assembly to which balance weight must be added in order to balance the assembly. Repeat the procedure to ensure accuracy. If the wheel comes to rest with the original mark in different positions each time, the assembly is balanced and no weights will be required.

- Temporarily attach weights to the spot marked and repeat step 2. Add or remove weight as appropriate and repeat the procedure until the wheel shows no tendency to come to rest at any one location.
- Permanently apply the weight to the wheel. Any method that attaches a fixed weight to a fixed position on the wheel is acceptable. Clean the surface to which the balance weight or tape-a-weight is to be applied. If the amount of weight to be added exceeds one-half ounce, it is recommended that the weight be divided equally between both sides of rim. This will help eliminate the possibility of a high speed vibration or wobble.

MICHELIN DOES **NOT** RECOMMEND THE USE OF LIQUID BALANCE FLUIDS OR SEALANTS. TIRES AND TUBES INTO WHICH THESE HAVE BEEN INJECTED WILL NOT BE COVERED UNDER WARRANTY.

- Remove the valve cap and adjust the tire pressure to that recommended by the motorcycle manufacturer. Replace the valve cap and install the wheel assembly on the motorcycle.

NOTE: It is advisable to mark the tire and the rim with a reference mark so it can be determined if the tire ever rotates on the rim due to braking or acceleration. Should this occur, the reason for the rotation should be determined and corrected. (Use of improper lubricant? tire damage?) The tire/wheel assembly may need to be balanced again.

Fitment Guide

- Michelin recommends its tires for the models shown on pages 24 through 46.
- While every attempt has been made to make this fitment guide comprehensive, some makes and models have been omitted. In most cases this is because Michelin does not offer any appropriate tires for a particular motorcycle, or the manufacturer did not offer the motorcycle for sale in North America. If MICHELIN® tires are available in replacement sizes for a motorcycle that is not listed in the fitment guide, consult a Michelin motorcycle tire dealer to confirm compatibility with your specific application.
- For optimized performance, it is recommended that radial tires be installed as a pair.
- IMPORTANT:** When tires with speed ratings lower than those supplied to the customer as original equipment are fitted, the speed capability of the vehicle is limited to the maximum speed rating of the replacement tires.

Bib Mousse® Warning

- The Bib Mousse® foam insert replaces a tube and is to be used only with MICHELIN® off-road motorcycle tires, which are compatible in

design and shape for their intended use. The use of Bib Mousse inserts in any other tire is not recommended.

- The Bib Mousse insert is designed to operate in off-road conditions. Prolonged use of the Bib Mousse insert on hard or asphalt surfaces for a distance of 20 miles or longer at speeds of 80 mph or more is not recommended. Doing so could result in overheating, possible fire and subsequent damage to the Bib Mousse insert, tire and motorcycle.
- When mounting or demounting a Bib Mousse insert in a MICHELIN® off-road tire, care must be taken to secure the tire levers properly to prevent them from slipping off the rim. (See mounting/demounting instructions supplied with Bib Mousse inserts.)
- Failure to abide by these warnings may cause failure of the Bib Mousse insert and damage to the tire and wheel assembly, which in turn could cause an accident, possibly resulting in personal injury to yourself and others as well as damage to personal property.

Special Note For Trials And Desert Tires

When these tires are inflated to their maximum recommended pressures, speed must be restricted to the following maximums:

	Max. Speed	Max. Inflation Pressure
TRIAL LIGHT & TRIAL COMPETITION	75 mph	32 psi
DESERT	105 mph	22 psi
DESERT (equipped with Bib Mousse®)	see Bib Mousse Warning	N/A

Repair of MICHELIN® Motorcycle Tires

Michelin does **not** condone or endorse the repair of any of its motorcycle tires that have suffered punctures or other damage. Michelin assumes no liability for injuries or consequential damages arising from MICHELIN® motorcycle tires that have been patched, plugged, sealed or otherwise repaired by a dealer, distributor or consumer.

Disclaimer

Michelin has specific recommended conditions for the storage, selection, mounting, inflation, pressure, use, monitoring and maintenance of its tires. The conditions stated by Michelin, shall be adhered to by the Customer. The Customer shall be under a duty to inform users and its own Customers of said conditions.

Our Customers should also train their employees, who are involved in placing our products with the end users, about Michelin's tire recommendations. If in doubt, we invite you to consult our technical documentation or one of our technicians, or ultimately, our website at www.michelin-us.com.

Michelin North America, Inc.
2 Wheel Dept.
P.O. Box 19001
Greenville, SC 29602
800/346-4098
www.MichelinMotorcycle.com

Enjoy Riding Longer on the All-New MICHELIN® Commander® II!

PROVEN BY
THIRD-PARTY
TESTS



MICHELIN

COMMANDER II

Copyright © 2011 Michelin North America, Inc. The Michelin Man is a registered trademark of Michelin North America, Inc. All rights reserved.

The all-new MICHELIN® Commander® II is designed to set a new standard in cruiser tire longevity. In fact, commissioned third-party tests* have shown that the MICHELIN® Commander® II rear tire lasts almost twice as long as the competition. But that's not all. These tires utilize a special casing technology to help deliver excellent feedback and handling, and aramid tread plies in the rear tire for great stability, even at highway speeds. An all-new rubber compound was formulated for exceptional grip – wet or dry, and the unique tread pattern and sidewall treatment will have everyone looking. For more details, see your local Michelin motorcycle tire dealer or visit MichelinMotorcycle.com, and start getting more miles for your money.

* Tests conducted by Texas Test Fleet in 2011 on public roads comparing MICHELIN® Commander® II, Metzeler ME880 and Dunlop D407/D408 tires in sizes 130/80B17 and 180/65B16. Individual results may vary depending on motorcycle type and operating conditions.

